

ON ROAD. ON TRACK. **ON AVONS.**



MOTORCYCLE DATA
& FITMENT GUIDE

ESTABLISHED 1885





Important Note: While great care has been made to ensure the data contained in this booklet is accurate and up to date, Cooper Tire and Rubber Europe Ltd cannot accept any responsibility for any errors or omissions contained within. We reserve the right to alter specifications at any time and without prior notice. This issue supercedes all previous databooks/fitment guides. Due to the ever changing nature of fitment guides, we strongly recommend checking our website for the most up to date information at www.avontyres.com



OEM Fitments

					
Royal Enfield	KTM	Morgan	Triumph	Triumph	Triumph
Classic 500, Classic Desert Storm, Classic Chrome, Classic Battle Green, Classic Squadron Blue, Bullet 500	790 Adventure	Three Wheeler	Bonneville Bobber	Thunderbird LT	Bonneville Speedmaster
Avon Roadrider	Avon TrailRider	Avon SafetyMileage MKII	Avon Cobra	Avon Cobra White Wall	Avon Cobra
90/90-19 Front 110/80-18 Rear	90/90-21 54V Front 150/70R18 70V Rear	4.00-19 Front	100/90-19 57V Front 150/80 R16 71V Rear	150/80R16 71V Front 180/70R16 77V Rear	MT90B16 AV71 Front 150/80R16 AV72 Rear
			Bonneville Bobber Black		
			Avon Cobra		
			MT90B16 74H Front 150/80 R16 71V Rear		


Encompassed within every Avon motorcycle tyre is some of the world's most advanced tyre technology. It's what helps give Avon tyres their edge. This technology has been painstakingly developed and tested over many years and means that regardless of what type of bike you have and where you ride, you can have absolute faith in your tyres.



Hybrid Belt
Ultra strong steel wires of different tensions bound together to make a tape component to form a unique belt system. This belt produces exceptional high speed stability while the flexibility and natural spring properties of steel translate into superb mechanical grip. This is our most advanced belt system yet.



TE (Tri-compound Extrusion)
Three different rubber compounds are extruded into each tread.
Compound 1 – A durable medium compound in the centre of the tyre for improved mileage.
Compound 2 – A soft compound on the edge of the tyre for maximum grip at high lean angles.
Compound 3 – A very soft low hysteresis compound across the entire base of the tread to improve the bond between the other two compounds and the carcass.



A-VBD (Advanced-Variable Belt Density)
Mainly for rear tyres, this is a jointless belt of ultra strong steel and/or aramid cables that are wound around the tyre's circumference. At the centre of the tread the cables are very closely spaced for maximum stability and high wear resistance. The strands are progressively spaced out towards the tread edge to produce the characteristics of a multi-compounded tyre i.e. hard compound in the middle and a soft compound on the edge.



ATAC-TA Tread Profile
(Advanced Tread Arc Combination – Tri Arc)
ATAC varies the tread profile across the tyre for the ultimate in handling and stability however far over your bike is. Works in tandem with A-VBD.



IFG (Inverted Front Grooves)
For the front tyre, a system pioneered by Avon in the late eighties and only now being adopted by the competition, resists 'stepped-wear' and cupping to deliver smooth handling throughout the tyre's life. By significantly reducing uneven tread wear, a further advantage of the IFG configuration is improved wet braking and shorter stopping distances.



RF (Reactive Footprint)
Reactive Footprint technology marries Avon's unique ATAC profile, ES and LPE systems (see below) to produce a footprint which changes size and shape depending on the bike's lean angle for the full life of the tyre. The result is a contact patch that grows as the bike leans, giving more grip in corners. It is also enhanced by Avon's unique variable belt density A-VBD.




SRS-Compound (Super Rich Silica-Compound)
Compounds formulated with large amounts of silica offer enhanced grip in wet and cold conditions. This produces extra grip when the tyre is cold but also reduces excessive heat build up which can affect mileage.



Race-C
Compounds optimised for track performance.



EAF Pattern (Enhanced Aqua Flow)
Front and rear tread patterns are computer designed for maximum throughput of water within the tyre footprint. This propels water away from the contact patch hence aiding water dispersion and maximising wet grip.




ES System (Enhanced Stability System)
The carcass, sidewall and tread pattern are designed to work in harmony so that the stresses absorbed by the tyre are distributed evenly. This reduces localised flexing within the tyre's structure. The result is an increase in grip and stability while at the same time reduces tread wear.



LPE (Lifetime Profile Engineering)
This works in conjunction with ATAC to produce a tyre profile and footprint which even when worn, gives consistent handling and stability for the full life of the tyre.




FFG (Force Following Grooves)
Grooves that work in tandem with the forces being transmitted through the tyre at various lean angles for increased wear resistance, optimum water dispersal, reduced tyre noise and improved mileage.



SBC System
'Spiral and Belted Carcass'. A high level of grip puts high loads through the tyre's carcass; the SBC System features ultra-tough belts underneath the 0 degree belt of A-VBD to cope with the extreme stresses.




WCTA (Wide Custom Tread Arc)
A profile for improved manoeuvrability at all speeds.



3D siping: Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly.

Centre section of 'Variable Belt Density' jointless belt:
Steel wires are closely positioned for high-speed stability and even wear.



Shoulder section:
Steel wires are widely spaced to give an increased footprint in corners and significantly increases grip.

	Hybrid Belt	TE	A-VBD	ATAC-TA	IFG	RF	SRS	EAF Pattern	ES System	LPE	FFG	Race-C	WCTA	SBC System	3D Sipes
3D Ultra Sport AV79 Front	X*		X*	X	X		X	X	X		X				X
3D Ultra Sport AV80 Rear	X	X	X	X		X	X	X	X	X	X				X
Spirit ST Front				X	X		X	X	X		X				X
Spirit ST Rear	X	X	X	X		X	X	X	X	X	X			X	X
Storm 3D X-M AV65 Front				X	X		X	X	X		X				X
Storm 3D X-M AV66 Rear	X	X	X	X		X	X	X	X	X	X			X	X
Roadrider AM26 Front				X	X			X			X				
Roadrider AM26 Rear				X				X			X				
Roadrider AM26 Universal				X				X			X				
StreetRunner AV83 Front					X										
StreetRunner AV83 Rear															
StreetRunner AV83 Universal															
Cobra AV71 Front				X	X			X	X		X				
Cobra AV72 Rear	X		X	X		X		X	X	X	X		X		
Cobra Chrome AV91 Front				X	X			X	X	X	X		X		
Cobra Chrome AV92 Rear	X		X	X		X		X	X	X	X		X		
Cobra Chrome Universal				X				X	X		X				
Cobra Chrome Trike				X	X			X	X		X				
Venom-R AM42 Rear				X		X		X			X		X		
TrailRider AV53 Front (Crossply)				X	X		X	X	X		X				
TrailRider AV53 Front (Radial)				X	X		X	X	X		X				X
TrailRider AV54 Rear (Crossply)				X			X	X	X	X	X				
TrailRider AV54 Rear (Radial)	X	X	X	X		X	X	X	X	X	X				X
TrekRider Front				X	X			X	X		X				
TrekRider Rear				X				X	X	X	X				
Safety Mileage MKII AM7															
AM20 Front															
AM21 Rear															
Speedmaster MKII AM6															
Sidecar Triple Duty															
AM9 Universal															
Viper Stryke AM63 Front															
Viper Stryke AM63 Rear															
Viper Stryke AM63 Universal															

*120/70ZR17

ON ROAD. ON TRACK. ON AVONS.



Spirit ST



Hypersport

3D Ultra Sport

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
3D Ultra Sport AV79 Front									
90000001353	4520012	120/60ZR17	(55W)	MT3.50	3.50 - 3.75	115 / 4.5	583 / 22.9	3.8	568 / 909
90000001354	4520013	120/70ZR17	(58W)	MT3.50	3.50 - 3.75	119 / 4.7	600 / 23.6	3.8	552 / 883
90000001355	4520014	130/70ZR16	(61W)	MT3.50	3.50 - 4.00	127 / 5.0	588 / 23.1	3.8	563 / 901
3D Ultra Sport AV80 Rear									
90000001356	4530011	150/60ZR17	(66W)	MT4.25	4.00 - 4.50	157 / 6.2	615 / 24.2	5.2	554 / 886
90000001357	4530012	160/60ZR17	(69W)	MT4.50	4.25 - 5.00	162 / 6.4	628 / 24.7	5.2	527 / 844
90000001358	4530014	180/55ZR17	(73W)	MT5.50	5.50 - 6.00	179 / 7.0	637 / 25.1	5.2	520 / 832
90000001359	4530015	190/50ZR17	(73W)	MT6.00	5.50 - 6.00	192 / 7.6	622 / 24.5	5.2	532 / 852
90000001360	4530016	190/55ZR17	(75W)	MT6.00	5.50 - 6.00	190 / 7.5	649 / 25.6	5.2	510 / 816
90000001361	4530017	200/50ZR17	(75W)	MT6.25	6.00 - 6.50	202 / 8.0	632 / 24.9	6.0	524 / 838



- Outstanding handling characteristics
- Large footprint at extreme lean angles
- High performance single and multi-compound Super Rich Silica (SRS) treads enhance wet grip
- Ideal for high performance bikes
- 3D siping with interlocking three dimensional points to improve stability and grip, limit tread flex, and allow the tyre to warm up quickly



Spirit ST

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Spirit ST Front									
90000030031	4030011	110/70ZR17	(54W)	MT3.00	3.00 - 3.50	108 / 4.3	593 / 23.3	4.0	558 / 888
90000030100	4030020	100/90ZR18	(56W)	MT2.50	2.50 - 2.75	107 / 4.2	636 / 25.0	4.0	521 / 833
90000029983	4030021	110/80ZR18	(58W)	MT2.50	2.50 - 3.00	109 / 4.3	633 / 24.9	4.0	523 / 837
90000030026	4030012	110/80R19	59V	MT2.50	2.50 - 3.00	109 / 4.3	664 / 26.1	4.0	499 / 798
90000030034	4030013	120/60ZR17	(55W)	MT3.50	3.50 - 3.75	117 / 4.6	580 / 22.8	4.0	571 / 913
90000030027	4030014	120/70ZR17	(58W)	MT3.50	3.50 - 3.75	118 / 4.6	605 / 23.8	4.0	546 / 874
90000029969	4030015	120/70ZR18	(59W)	MT3.50	3.50 - 3.75	119 / 4.7	625 / 24.6	4.0	527 / 843
90000029759	4030016	120/70ZR19	(60W)	MT3.50	3.00 - 3.75	118 / 4.6	652 / 25.7	4.0	508 / 813
Spirit ST Rear									
90000030061	4030019	150/70ZR17	(69W)	MT4.25	4.00 - 4.50	153 / 6.0	643 / 25.3	8.0	515 / 824
90000030060	4030018	150/80ZR16	(71W)	MT3.50	3.50 - 4.25	152 / 6.0	646 / 25.4	8.0	513 / 820
90000030063	4030111	160/60ZR17	(69W)	MT4.50	4.25 - 5.00	164 / 6.5	629 / 24.8	8.0	526 / 842
90000030062	4030110	160/60ZR18	(70W)	MT4.50	4.25 - 5.00	168 / 6.6	649 / 25.6	8.0	510 / 816
90000030064	4030112	160/70ZR17	(73W)	MT4.50	4.25 - 5.00	166 / 6.5	656 / 25.8	8.0	505 / 808
90000030065	4030113	170/60ZR17	(72W)	MT4.50	4.50 - 5.50	170 / 6.7	635 / 25.0	8.0	521 / 834
90000030066	4030114	180/55ZR17	(73W)	MT5.50	5.50 - 6.00	188 / 7.4	629 / 24.8	8.0	524 / 838
90000030067	4030115	190/50ZR17	(73W)	MT6.00	5.50 - 6.00	195 / 7.7	626 / 24.6	8.0	529 / 846
90000030068	4030116	190/55ZR17	(75W)	MT6.00	5.50 - 6.00	190 / 7.5	651 / 25.6	8.0	509 / 814
90000030069	4030117	200/50ZR17	(75W)	MT6.25	6.00 - 6.50	203 / 8.0	630 / 24.8	8.0	524 / 838
90000030080	4030118	200/55ZR17	(78W)	MT6.25	6.00 - 6.50	196 / 7.7	654 / 25.7	8.0	506 / 810

Storm 3D X-M

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Storm 3D X-M AV65 Front									
90000020784	4210012	110/70ZR17	(54W)	MT3.00	3.00 - 3.50	108 / 4.3	593 / 23.3	4.0	558 / 888
90000028471	4210018	100/90ZR18	(56W)	MT2.50	2.50 - 2.75	107 / 4.2	636 / 25.0	4.0	521 / 833
90000020785	4210013	110/80ZR18	(58W)	MT2.50	2.50 - 3.00	109 / 4.3	633 / 24.9	4.0	523 / 837
90000020788	4210017	110/80R19	59V	MT2.50	2.50 - 3.00	109 / 4.3	664 / 26.1	4.0	499 / 798
90000020786	4210014	120/60ZR17	(55W)	MT3.50	3.50 - 3.75	117 / 4.6	580 / 22.8	4.0	571 / 913
90000020787	4210015	120/70ZR18	(59W)	MT3.50	3.50 - 3.75	119 / 4.7	625 / 24.6	4.0	527 / 843
90000020110	4210011	120/70ZR17	(58W)	MT3.50	3.50 - 3.75	118 / 4.6	605 / 23.8	4.0	546 / 874
Storm 3D X-M AV66 Rear									
90000020744	4220013	150/70ZR17	(69W)	MT4.25	4.00 - 4.50	153 / 6.0	643 / 25.3	8.0	515 / 824
90000020762	4220014	150/80ZR16	(71W)	MT3.50	3.50 - 4.25	152 / 6.0	646 / 25.4	8.0	513 / 820
90000020497	4220015	160/60ZR17	(69W)	MT4.50	4.25 - 5.00	164 / 6.5	629 / 24.8	8.0	526 / 842
90000020498	4220016	160/60ZR18	(70W)	MT4.50	4.25 - 5.00	168 / 6.6	649 / 25.6	8.0	510 / 816
90000020499	4220017	160/70R17*	79V	MT4.50	4.25 - 5.00	166 / 6.5	656 / 25.8	8.0	505 / 808
90000020780	4220018	170/60ZR17	(72W)	MT4.50	4.50 - 5.50	170 / 6.7	635 / 25.0	8.0	521 / 834
90000020111	4220011	180/55ZR17	(73W)	MT5.50	5.50 - 6.00	188 / 7.4	629 / 24.8	8.0	524 / 838
90000020112	4220012	190/50ZR17	(73W)	MT6.00	5.50 - 6.00	195 / 7.7	626 / 24.6	8.0	529 / 846
90000020781	4220019	190/55ZR17	(75W)	MT6.00	5.50 - 6.00	190 / 7.5	651 / 25.6	8.0	509 / 814
90000020782	4220110	200/50ZR17	(75W)	MT6.25	6.00 - 6.50	203 / 8.0	630 / 24.8	8.0	524 / 838

*Reinforced

- Ultra-high performance hypersport touring tyre
- Highly loaded silica compound combined with state of the art polymer technology for excellent wet and dry traction and handling
- Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly (3D Sipes)
- Avon's latest technology construction design gives ultra high performance handling and stability characteristics
- Multi-compound rear tyres for all round tyre performance (TE)



- High performance plus extended mileage
- The X-M version will deliver 15%-20% extra mileage compared to the Storm 2 Ultra
- Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly (3D Sipes)
- High performance single and multi-compound super rich silica tread enhances wet grip (SRS)
- Superb handling and stability characteristics
- Typical fitments: Suzuki Hayabusa, BMW K1300GT, Honda VFR 1200, Kawasaki GTR1400, Suzuki GSX1400
- Tri-compound Extrusion (TE) on rear tyres



Roadrider

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Roadrider AM26 Front									
90000000660	2268813	90/90-19	52V	MT2.15	1.85 - 2.50	99 / 3.9	647 / 25.5	5.0	512 / 819
90000000657	2268113	90/90-21	54V	MT2.15	1.85 - 2.50	98 / 3.9	698 / 27.5	5.0	474 / 759
TBA	2260011	100/80-17	52H	MT2.50	2.15 - 2.75	101 / 4.0	595 / 23.4	5.0	557 / 890
90000000653	2265213	110/70V17	(54V)	MT3.00	2.50 - 3.50	108 / 4.3	593 / 23.3	5.0	558 / 893
90000000654	2265513	110/80V17	(57V)	MT2.50	2.15 - 3.00	112 / 4.4	614 / 24.2	5.0	539 / 863
90000000655	2266113	120/70V17	(58V)	MT3.50	2.75 - 3.75	120 / 4.7	607 / 23.9	5.0	546 / 873
Roadrider AM26 Rear									
90000000671	2276813	4.00-18	64V	MT2.50	2.15 - 3.00	116 / 4.6	671 / 26.4	7.5	493 / 790
90000000676	2279513	120/80-18	62V	MT2.75	2.50 - 3.00	120 / 4.7	652 / 25.7	7.5	508 / 813
90000000668	2276013	120/90-18	65V	MT2.75	2.50 - 3.00	127 / 5.0	675 / 26.6	7.5	491 / 785
TBA	2270012	130/70-17	62H	MT3.50	3.00 - 4.00	130 / 5.1	625 / 24.6	7.5	530 / 848
90000000670	2276613	130/70V18	(63V)	MT3.50	3.00 - 4.00	133 / 5.2	649 / 25.6	7.5	510 / 816
90000000667	2275913	130/80-17	65V	MT3.00	2.50 - 3.50	136 / 5.4	645 / 25.4	7.5	513 / 821
90000000678	2279813	130/80V18	(66V)	MT3.00	2.50 - 3.50	137 / 5.4	672 / 26.5	7.5	493 / 788
90000000666	2275713	130/90-17	68V	MT3.00	2.50 - 3.50	140 / 5.5	671 / 26.4	7.5	493 / 790
90000000673	2277613	140/70-17	66V	MT3.75	3.50 - 4.50	140 / 5.5	641 / 25.2	7.5	517 / 827
90000000677	2279713	140/70V18	(67V)	MT3.75	3.50 - 4.50	142 / 5.6	666 / 26.2	7.5	497 / 796
90000000665	2275113	150/70V17	(69V)	MT4.25	3.50 - 4.50	156 / 6.1	656 / 25.8	7.5	505 / 808
90000000669	2276513	150/70V18	(70V)	MT4.25	3.50 - 4.50	154 / 6.1	679 / 26.7	7.5	488 / 780
90000000672	2277413	150/80V16	(71V)	MT3.50	3.00 - 4.25	161 / 6.3	655 / 25.8	7.5	506 / 809
90000000662	2270011	160/80-15	74V	MT3.75	3.00 - 4.50	162 / 6.4	637 / 25.1	7.5	520 / 832
90000000663	2270313	MT90-16*	(74V)	3.00D	2.50 - 3.50	137 / 5.4	646 / 25.4	7.5	513 / 820
Roadrider AM26 Universal									
90000000656	2267513	3.25-19	54V	MT2.15	1.85 - 2.50	98 / 3.9	664 / 26.1	5.0	499 / 798
90000000661	2269913	90/90-18	51V	MT2.15	1.85 - 2.50	97 / 3.8	619 / 24.4	5.0	535 / 856
90000000680	2283013	100/90-18	56V	MT2.50	2.15 - 2.75	108 / 4.3	642 / 25.3	5.6	516 / 825
90000000683	2289013	100/90-19	57V	MT2.50	2.15 - 2.75	109 / 4.3	671 / 26.4	5.6	493 / 790
90000000684	2289413	110/80V18	(58V)	MT2.50	2.15 - 3.00	111 / 4.4	640 / 25.2	5.6	517 / 828
90000000681	2287013	110/90V18	(61V)	MT2.50	2.15 - 3.00	116 / 4.6	663 / 26.1	5.6	499 / 799
90000000682	2288413	120/80V16	(60V)	MT2.75	2.50 - 3.00	126 / 5.0	601 / 23.7	5.6	551 / 882
90000000664	2274813	120/80-17	61V	MT2.75	2.50 - 3.00	120 / 4.7	629 / 24.8	7.5	526 / 842
90000000674	2278613	120/90-17	64V	MT2.75	2.50 - 3.00	128 / 5.0	649 / 25.6	7.5	510 / 816
90000000675	2279213	140/80V17	(69V)	MT3.50	2.75 - 3.75	143 / 5.6	665 / 26.2	7.5	498 / 797

*MT90-16 equivalent to 130/90-16 and Reinforced

- Large contact patch for excellent grip at all lean angles
- Comprehensive range of sizes – from modern to more traditional
- Performance upgrade for classic and vintage motorcycles

StreetRunner

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
StreetRunner AV83 Front									
90000024540	8180011	2.75-18*	48S	MT1.85	1.40 - 1.85	77 / 3.0	614 / 24.2	4.0	539 / 863
90000024541	8180012	80/100-17*	53S	MT1.85	1.60 - 2.15	78 / 3.1	590 / 23.2	4.0	561 / 898
StreetRunner AV83 Rear									
90000024542	8180013	100/90-17	55S	MT2.50	2.15 - 2.75	100 / 3.9	610 / 24.0	5.0	543 / 869
90000024543	8180014	130/70-17	62S	MT3.50	3.00 - 4.00	128 / 5.0	612 / 24.1	5.0	541 / 866
StreetRunner AV83 Universal									
90000024545	8180016	2.50-17*	43S	MT1.50	1.35 - 1.60	67 / 2.6	568 / 22.4	5.0	583 / 933
90000024546	8180017	2.75-17*	47S	MT1.85	1.40 - 1.85	76 / 3.0	584 / 23.0	5.0	567 / 907
90000024547	8180018	100/80-17	52S	MT2.50	2.15 - 2.75	99 / 3.9	590 / 23.2	5.0	561 / 898
90000024548	8180019	3.00-18	47S	MT1.85	1.60 - 2.15	82 / 3.2	625 / 24.6	5.0	530 / 848
90000024544	8180015	90/90-18	51S	MT2.15	1.85 - 2.50	89 / 3.5	620 / 24.4	5.0	534 / 855

*Reinforced
StreetRunner manufactured outside the UK

- Specially designed for smaller CC commuter bikes
- Superb tyre life and all weather grip
- Impressive handling characteristics
- Latest technology in pattern design

Street



Cobra

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Cobra AV71 Front									
90000027690	2710213	100/90-19	57V	MT2.50	2.15 - 2.75	109 / 4.3	662 / 26.1	5.2	500 / 800
90000001364	4710213	MT90B16*	74H	3.00D	2.50 - 3.50	136 / 5.4	638 / 25.1	5.2	523 / 837
90000021483	4710112	150/80R16*	71V	MT3.50	3.50 - 4.25	149 / 5.9	645 / 25.4	4.7	517 / 827

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Cobra AV72 Rear									
90000026179	4700117	150/80R16	71V	MT3.50	3.50 - 4.25	152 / 6.0	646 / 25.4	8.0	513 / 820
90000021482	4700114	180/70R16*	77V	MT5.00	5.00 - 5.50	182 / 7.2	656 / 25.8	8.5	510 / 816

*Reinforced | **Special production only | White Wall | *Triumph OEM tyre
MT90B16 equivalent to 130/90B16 | 140/90B16 equivalent to MU85B16



- Incorporates sports tyre technology for nimble handling
- Incredible stability and longevity – perfect for touring
- Excellent durable compound for increased mileage
- Original Equipment on
Triumph Bonneville Bobber
100/90-19 57V front
150/80R16 71V rear
Triumph Speedmaster
MT90B16 74H Cobra AV71 Front
50/80R16 71V Cobra AV72 Rear
- White wall tyre designed for
Triumph Thunderbird LT
150/80R16 71V front
180/70R16 77V rear



Triumph OE

Cobra Chrome

MANUFACTURED IN THE UK



US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile	Whitewall Width mm
Cobra Chrome AV91 Front										
90000031650	2120194	MH90-21*	56V	MT1.85	1.60 - 2.15	83 / 3.3	688 / 27.1	5.2	479 / 766	
90000031651	2120195	MH90-21*	56V	MT1.85	1.60 - 2.15	83 / 3.3	688 / 27.1	5.2	479 / 766	15
90000031649	2120113	90/90-21	54H	MT2.15	1.85 - 2.50	94 / 3.7	701 / 27.6	5.2	468 / 749	
90000031439	4120011	100/90-19	57V	MT2.50	2.15 - 2.75	109 / 4.3	662 / 26.1	5.2	500 / 800	
90000031630	2120011	100/90-19	57V	MT2.50	2.15 - 2.75	110 / 4.3	662 / 26.1	5.2	500 / 800	20
90000031631	2120012	110/90-19	62H	MT2.50	2.15 - 3.00	119 / 4.7	682 / 26.9	5.2	487 / 779	
90000031634	4120012	120/70ZR19 (60W)	MT3.50	3.00 - 3.75	123 / 4.8	649 / 25.6	4.7	523 / 837		
90000031632	2120093	120/70-21 *	68V	MT3.50	2.75 - 3.75	120 / 4.7	709 / 27.9	4.8	467 / 747	
90000031633	2120094	120/70-21*	68V	MT3.50	2.75 - 3.75	120 / 4.7	709 / 27.9	4.8	467 / 747	17
90000031652	2120196	MT90B16*	74H	3.00D	2.50 - 3.50	136 / 5.4	638 / 25.1	5.2	523 / 837	
90000031653	2120197	MT90B16 *	74H	3.00D	2.50 - 3.50	132 / 5.2	638 / 25.1	5.2	523 / 837	35
90000031636	2120016	130/60B19	61V	MT3.50	3.00 - 4.00	124 / 4.9	644 / 25.4	4.8	514 / 823	
90000031637	2120017	130/60B21	63V	MT3.50	3.00 - 4.00	124 / 4.9	695 / 27.4	4.8	476 / 762	
90000031639	4120013	130/70R18	63H	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827	
90000031640	4120014	130/70VR18 (63V)	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827		
90000031638	2120098	130/70B18*	69H	MT3.50	3.00 - 4.00	130 / 5.1	647 / 25.5	4.7	513 / 821	
90000031641	2120019	130/80B17	65H	MT3.00	2.50 - 3.50	130 / 5.1	638 / 25.1	4.8	520 / 832	
90000031643	4120015	140/75R17	67V	MT3.50	3.50 - 4.25	141 / 5.6	644 / 25.4	4.8	518 / 829	
90000031644	2120111	150/80-16	71H	MT3.50	3.00 - 4.25	157 / 6.2	637 / 25.1	5.2	525 / 840	
90000031645	4120016	150/80R16	71V	MT3.50	3.50 - 4.25	149 / 5.9	645 / 25.4	4.7	517 / 827	
90000031646	4120017	150/80R16	71V	MT3.50	3.50 - 4.25	149 / 5.9	645 / 25.4	4.7	517 / 827	40
90000031647	4120018	150/80R17	72V	MT3.50	3.50 - 4.25	150 / 5.9	672 / 26.5	4.7	496 / 794	

*Reinforced | ■ White Wall | *Triumph OEM tyre MT90B16 equivalent to 130/90B16 | *MH90-21 equivalent to 80/90-21

- Unique tyre design with detailed aesthetic features
- Excellent wet braking and stability
- High stability in all conditions delivering precise feel and tyre feedback
- Improved tyre life over its predecessor
- Aimed at the power cruiser/touring/custom market
- Incorporates sports tyre technology for nimble handling
- Incredible stability and longevity – perfect for touring
- Extra wide sizes for custom bikes
- Available in white sidewall for the ultimate statement of individuality



US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile	Whitewall Width mm
Cobra Chrome AV92 Rear										
90000031517	2120398	MT90B16*	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835	40
90000031516	2120397	MT90B16 *	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835	
90000031398	2120118	140/70B18*	73H	MT3.75	3.50 - 4.50	140 / 5.5	661 / 26.0	8.7	501 / 802	
90000031399	2120199	140/90-15*	76H	MT3.50	2.75 - 3.75	149 / 5.9	633 / 24.9	8.7	530 / 848	
90000031480	2120290	140/90B16*	77H	MT3.50	2.75 - 3.75	143 / 5.6	649 / 25.6	8.7	518 / 829	
90000031481	2120291	140/90B16*	77H	MT3.50	2.75 - 3.75	143 / 5.6	649 / 25.6	8.7	518 / 829	42
90000031482	2120292	150/70B18*	76V	MT4.25	3.50 - 4.50	151 / 5.9	667 / 26.3	5.8	496 / 794	25
90000031483	2120293	150/70VB18* (76V)	MT4.25	3.50 - 4.50	151 / 5.9	667 / 26.3	5.8	496 / 794		
90000031484	2120294	150/80B16*	77V	MT3.50	3.00 - 4.25	157 / 6.2	640 / 25.2	7.2	518 / 829	
90000031485	2120295	150/80B16*	77V	MT3.50	3.00 - 4.25	157 / 6.2	640 / 25.2	7.2	518 / 829	42
90000031486	4120019	150/80R16	71V	MT3.50	3.50 - 4.25	152 / 6.0	646 / 25.4	8.0	513 / 820	
90000031487	4120110	150/80R16	71V	MT3.50	3.50 - 4.25	154 / 6.1	645 / 25.4	8	513 / 820	40
90000031488	2120296	150/90VB15*	80V	MT3.50	3.00 - 4.25	162 / 6.4	654 / 25.7	8.7	506 / 810	
90000031489	2120217	160/70B17*	79V	MT4.50	3.75 - 5.00	156 / 6.1	662 / 26.1	8.7	500 / 800	
90000031490	2120298	160/80B16 *	81H	MT3.75	3.00 - 4.50	167 / 6.6	665 / 26.2	8.7	505 / 808	
90000031491	4120111	170/70R16	75H	MT4.50	4.50 - 5.50	170 / 6.7	645 / 25.4	8.2	519 / 830	
90000031492	2120299	170/80B15*	83H	MT4.00	3.00 - 4.50	170 / 6.7	653 / 25.7	8.7	507 / 811	
90000031518	2120399	170/80B15*	83H	MT4.00	3.00 - 4.50	170 / 6.7	653 / 25.7	8.7	507 / 811	52
90000031493	2120310	180/55VB18* (80V)	MT5.50	5.50 - 6.00	178 / 7.0	655 / 25.8	8.7	506 / 809		
90000031494	4120112	180/55ZR18 (74W)	MT5.50	5.50 - 6.00	184 / 7.2	655 / 25.8	6.6	514 / 822		
90000031496	4120113	180/60R16*	80H	MT5.00	5.00 - 5.50	182 / 7.2	630 / 24.8	8.4	522 / 835	
90000031495	2120311	180/60B17*	81V	MT5.00	4.25 - 5.50	175 / 6.9	655 / 25.8	8.7	506 / 809	
90000031497	2120392	180/65B16*	81H	MT5.00	4.25 - 5.50	185 / 7.3	635 / 25.0	8.3	521 / 834	
90000031498	2120393	180/65B16*	81H	MT5.00	4.25 - 5.50	185 / 7.3	635 / 25.0	8.3	521 / 834	35
90000031499	2120314	180/70B15	76H	MT5.00	4.25 - 5.50	180 / 7.1	626 / 24.6	8.7	529 / 846	
90000031500	4120114	180/70R16	77V	MT5.00	5.00 - 5.50	182 / 7.2	656 / 25.8	8.5	505 / 808	
90000031501	4120115	180/70R16	77V	MT5.00	5.00 - 5.50	182 / 7.2	656 / 25.8	8.5	505 / 808	40
90000031502	4120116	190/60VR17 (78V)	MT5.00	5.00 - 6.00	188 / 7.4	660 / 26.0	6.8	502 / 803		
90000031503	2120315	200/30R23*	74V	MT7.00	6.50 - 7.50	199 / 7.8	709 / 27.9	5.4	467 / 747	
90000031504	4120117	200/50R17	75H	MT6.25	6.00 - 6.50	199 / 7.8	631 / 24.8	8	525 / 840	
90000031505	4120118	200/55VR17 (78V)	MT6.25	6.00 - 6.50	198 / 7.8	658 / 25.9	6.8	513 / 821		
90000031506	4120119	200/55VR18 (79V)	MT6.25	6.00 - 6.50	198 / 7.8	679 / 26.7	6.8	488 / 780		
90000031507	4120210	200/60VR16 (79V)	MT5.50	5.50 - 6.25	200 / 7.9	646 / 25.4	7.0	513 / 820		
90000031508	2120316	200/70B15	82H	MT5.50	4.75 - 6.25	200 / 7.9	661 / 26.0	7.7	501 / 802	
90000031519	2120410	230/60B15	86H	MT6.25	5.50 - 7.00	229 / 9.0	668 / 26.3	8.7	496 / 793	
90000031509	4120211	240/40VR18 (79V)	MT8.50	8.00 - 9.00	238 / 9.4	648 / 25.5	9.2	509 / 814		
90000031510	4120212	240/50R16	84V	MT7.50	7.00 - 8.00	237 / 9.3	649 / 25.6	7.2	509 / 814	
90000031511	4120213	250/40VR18 (81V)	MT9.00	8.50 - 9.50	251 / 9.9	655 / 25.8	6.7	514 / 822		
90000031512	4120214	260/40VR18 (84V)	MT9.00	8.50 - 9.50	260 / 10.2	665 / 26.2	6.7	498 / 797		
90000031513	4120215	280/35VR18 (84V)	MT10.00	9.50 - 10.50	282 / 11.1	653 / 25.7	6.5	507 / 811		
90000031514	4120216	300/35VR18 (87V)	MT10.5	10.00 - 11.00	300 / 11.8	664 / 26.1	6.5	499 / 798		
90000031515	4120217	330/30R17	87V	MT11.50	11.00 - 12.50	328 / 12.9	631 / 24.8	6.5	525 / 840	

Cobra Chrome Universal										
90000031654	4120218	130/60VR23 (65V)	MT3.50	3.50 - 4.00	124 / 4.9	744 / 29.3	4.8	442 / 707		
90000031655	4120219	130/60VR23 (65V)	MT3.50	3.50 - 4.00	124 / 4.9	744 / 29.3	4.8	442 / 707	15	

Cobra Chrome Trike										
90000031657	2120411	MT90B16*	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835	
90000031656	4120310	130/70R18	63V	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827	

*Reinforced | ■ White Wall | 140/90B16 equivalent to MU85B16

TrailRider

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
TrailRider AV53 Front									
90000023891	2230011	80/90-21	48S	MT1.85	1.60 - 2.15	84 / 3.3	693 / 27.3	5.6	476 / 762
90000023890	2230012	90/90-21*	54V	MT2.15	1.85 - 2.50	92 / 3.6	706 / 27.8	5.2	468 / 749
90000023886	2230013	100/90-19	57H	MT2.50	2.15 - 2.75	104 / 4.1	666 / 26.2	5.2	497 / 795
90000023887	4230011	110/80R19	59V	MT2.50	2.50 - 3.00	109 / 4.3	662 / 26.1	5.2	499 / 798
90000027045	4230014	120/70ZR19	(60W)	MT3.50	3.00 - 3.75	121 / 4.8	653 / 25.7	5.2	507 / 811
90000023889	4230013	120/70ZR17	(58W)	MT3.50	3.50 - 3.75	122 / 4.8	600 / 23.6	5.2	553 / 885
TrailRider AV54 Rear									
90000023892	2240011	110/80-18	58S	MT2.50	2.15 - 3.00	115 / 4.5	643 / 25.3	10.5	517 / 827
90000023893	2240012	120/80-18	62S	MT2.75	2.50 - 3.00	121 / 4.8	662 / 26.1	10.5	497 / 795
90000023894	2240013	120/90-17	64S	MT2.75	2.50 - 3.00	123 / 4.8	645 / 25.4	10.5	512 / 819
90000023895	2240014	130/80-17	65H	MT3.00	2.50 - 3.50	138 / 5.4	654 / 25.7	10.5	512 / 819
90000023897	2240015	140/80-18	70S	MT3.50	2.75 - 3.75	146 / 5.7	686 / 27.0	8.0	483 / 772
90000023896	4240411	130/80R17	65H	MT3.00	3.00 - 3.50	133 / 5.2	643 / 25.3	8.0	517 / 827
90000023898	4240412	140/80R17	69V	MT3.50	3.50 - 3.75	144 / 5.7	652 / 25.7	8.0	510 / 816
90000023899	4240413	150/60R17	66H	MT4.25	4.00 - 4.50	150 / 5.9	613 / 24.1	8.0	539 / 862
90000023900	4240414	150/70R17	69V	MT4.25	4.00 - 4.50	153 / 6.0	640 / 25.2	8.0	520 / 832
90000029660	4240011	150/70R18	70V	MT4.25	4.00 - 4.50	152 / 6.0	667 / 26.3	8.0	496 / 794
90000023901	4240415	160/60ZR17	(69W)	MT4.50	4.25 - 5.00	164 / 6.5	623 / 24.5	8.0	532 / 851
90000027046	4240419	170/60ZR17	(72W)	MT4.50	4.50 - 5.50	170 / 6.7	635 / 25.0	8.0	521 / 834
90000023903	4240417	180/55ZR17	(73W)	MT5.50	5.50 - 6.00	188 / 7.4	629 / 24.8	8.0	524 / 838

*Replaces 3.00-21

- New Super Rich Silica Compound using the very latest compounding technology to enhance wet grip
- Multi-compound treads on radial rears to enhance mileage and grip
- Interlocking three dimensional points hidden in the sipes to improve stability and grip, limit tread flex and allow the tyre to warm up quickly – 3D SIPES (radial tyres)
- High tech carcass construction and next generation compounds deliver superb grip and handling
- 90% on-road, 10% off-road

TrekRider

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
TrekRider AV84 Front									
90000028155	2230014	90/90-21	54T	MT2.15	1.85 - 2.50	92 / 3.6	701 / 27.6	6.0	472 / 756
90000028156	2230017	110/80-19	59V	MT2.50	2.15 - 3.00	113 / 4.4	668 / 26.3	6.0	496 / 793
TrekRider AV85 Rear									
90000028157	2240016	130/80-17	65T	MT3.00	2.50 - 3.50	136 / 5.4	650 / 25.6	10.0	509 / 815
90000028158	2240017	140/80-17	69T	MT3.50	2.75 - 3.75	146 / 5.7	659 / 25.9	10.0	502 / 804
90000028159	2240018	140/80-18	70T	MT3.50	2.75 - 3.75	147 / 5.8	687 / 27.0	10.0	482 / 771
90000028160	2240110	150/70-17	69V	MT4.25	3.50 - 4.50	155 / 6.1	649 / 25.6	10.0	510 / 816

- 50% on-road, 50% off road
- Great balance between on and off road performance
- Versatile construction for off road capability
- Specially formulated compound for multi-terrain

Adventure Sport





- Classic ribbed front tyre
- Curved tread profile and ribbed pattern so typical of classic bikes
- Best used in conjunction with the Safety Mileage MKII rear tyre

Speedmaster MKII (AM6)

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Speedmaster AM6									
90000000618	1727410	3.00-19* TT	54S	1.85	1.60 - 2.15	78 / 3.1	641 / 25.2	3.5	517 / 827
90000000610	1658410	3.00-20 TT**	50S	1.85	1.60 - 2.15	75 / 3.0	665 / 26.2	3.5	498 / 797
90000000611	1659401	3.00-21* TT	57S	1.85	1.60 - 2.15	76 / 3.0	691 / 27.2	3.6	481 / 770
90000000605	1655501	3.25-17 TT**	50S	2.15	1.85 - 2.50	89 / 3.5	616 / 24.3	3.5	538 / 860
90000000607	1657501	3.25-19 TT	54S	2.15	1.85 - 2.50	86 / 3.4	658 / 25.9	4.0	497 / 795
90000000608	1657601	3.50-19 TT	57S	2.15	1.85 - 2.50	92 / 3.6	682 / 26.9	3.6	482 / 771

*Reinforced | **Special production only | TT = Tube Type

Safety Mileage MKII (AM7)

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Safety Mileage MKII AM7 - A									
90000000600	1645501	3.25-17 TT	50S	2.15	1.85 - 2.50	89 / 3.5	616 / 24.3	3.5	538 / 860
90000000619	1727610	3.50-19 TT	57S	2.15	1.85 - 2.50	93 / 3.7	682 / 26.9	8.1	482 / 771
90000000601	1646801	4.00-18 TT	64S	2.50	2.15 - 3.00	111 / 4.4	677 / 26.7	8.1	488 / 781
Safety Mileage MKII AM7 - B									
90000001578	1720011	4.00-19 TT	65H	2.50	2.15 - 3.00	110 / 4.3	702 / 27.6	9.2	471 / 754
Safety Mileage MKII AM7 - C									
90000000616	1694901	5.00-16 TT	69S	3.00	3.00 - 3.50	131 / 5.2	669 / 26.3	8.1	499 / 798

TT = Tube Type

- Classic block pattern rear tyre
- Available in a variety of different tread patterns designed to suit older bikes
- Modern rubber compounds deliver enhanced durability and performance
- Best used in conjunction with the Speedmaster MKII front tyre

Sidecar Triple Duty

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Sidecar Triple Duty									
90000000617	1697605	3.50-19 TT	57L	2.15	1.85 - 2.50	92 / 3.6	679 / 26.7	9.4	491 / 786

TT = Tube Type

- A great all-rounder for every position
- Although especially suited to the front wheel, these tyres can be used in any position on a sidecar outfit

AM20/AM21

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
AM20 Front									
90000000750	2748812	90/90-19	52H	MT2.15	1.85 - 2.50	95 / 3.7	647 / 25.5	5.0	512 / 819
90000000749	2748112	90/90-21	54H	MT2.15	1.85 - 2.50	93 / 3.7	700 / 27.6	5.0	474 / 758
90000000748	2745012	130/90-16*	73H	3.00D	2.50 - 3.50	138 / 5.4	638 / 25.1	5.0	525 / 840
AM21 Rear									
90000000751	2755019	MT90-16*	74H	3.00D	2.50 - 3.50	139 / 5.5	650 / 25.6	7.8	517 / 827

- Accomplished all-rounder
- Tread pattern designed to give first class water dispersal under the contact patch.

AM9

MANUFACTURED IN THE UK

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
AM9 Universal									
90000000599	1607910	4.10-19 TT	61H	2.50	1.85 - 3.00	102 / 4.0	667 / 26.3	7.0	507 / 811

TT = Tube Type

- A great value all-rounder
- Can be fitted either to the front or rear of your bike



Viper Stryke



- Specially designed for modern scooters
- Exceptional tyre life
- Superb handling characteristics
- Comfortable for long distance commuting


US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Viper Stryke AM63 Front									
90000025120	2340011	80/90-14	40S	MT1.85	1.60-2.15	78 / 3.1	499 / 19.6	5.5	664 / 1062
90000000698	2341011	100/80-16	50P	MT2.50	2.15-2.75	100 / 3.9	566 / 22.3	6.0	585 / 936
90000000692	2340411	110/90-12*	64P	MT2.50	2.15-3.00	110 / 4.3	503 / 19.8	5.5	658 / 1053
90000000693	2340511	110/90-13	56P	MT2.50	2.15-3.00	110 / 4.3	528 / 20.8	5.5	627 / 1003
90000000699	2341111	110/70-16	52S	MT3.00	2.50-3.50	110 / 4.3	560 / 22.0	6.0	591 / 946
90000000694	2340611	120/70-13	53P	MT3.50	2.75-3.75	120 / 4.7	498 / 19.6	5.5	665 / 1064
90000000695	2340711	120/70-14	55S	MT3.50	2.75-3.75	120 / 4.7	524 / 20.6	5.5	632 / 1011
90000000696	2340811	120/80-14	58S	MT2.75	2.50-3.00	120 / 4.7	548 / 21.6	5.5	604 / 967
90000000697	2340911	120/70-15	56S	MT3.50	2.75-3.75	120 / 4.7	549 / 21.6	5.5	603 / 965
Viper Stryke AM63 Rear									
90000025123	2350011	100/90-14*	57S	MT2.50	2.15-2.75	108 / 4.3	538 / 21.2	6.0	615 / 985
90000000707	2352111	120/80-16	60P	MT2.75	2.50-3.00	120 / 4.7	598 / 23.5	6.0	554 / 886
90000000701	2351311	130/70-13*	63P	MT3.50	3.00-4.00	130 / 5.1	509 / 20.0	5.5	651 / 1041
90000000700	2351211	140/70-12*	65P	MT3.75	3.50-4.50	140 / 5.5	501 / 19.7	6.0	661 / 1057
90000000702	2351411	140/60-13*	63P	MT3.75	3.50-4.50	140 / 5.5	498 / 19.6	6.0	665 / 1064
90000000704	2351611	140/60-14*	64S	MT3.75	3.50-4.50	140 / 5.5	524 / 20.6	6.0	632 / 1011
90000000705	2351711	140/70-14*	68S	MT3.75	3.50-4.50	140 / 5.5	552 / 21.7	6.0	600 / 960
90000000708	2352211	140/70-16	65P	MT3.75	3.50-4.50	140 / 5.5	602 / 23.7	6.0	550 / 880
90000000703	2351511	150/70-13	64S	MT4.25	3.50-4.50	150 / 5.9	540 / 21.3	6.0	613 / 981
90000000706	2351811	150/70-14	66S	MT4.25	3.50-4.50	150 / 5.9	566 / 22.3	6.0	585 / 936
Viper Stryke AM63 Universal									
90000025124	2360011	3.50-10	51J	MT2.50	1.85-2.50	97 / 3.8	436 / 17.2	5.5	759 / 1215
90000025125	2360012	90/90-10	50J	MT2.15	1.85-2.15	87 / 3.4	414 / 16.3	5.5	800 / 1280
90000025127	2360014	90/90-14	46S	MT2.15	1.85-2.50	91 / 3.6	515 / 20.3	5.5	643 / 1029
90000025126	2360013	100/90-10	56J	MT2.50	2.15-2.50	98 / 3.9	433 / 17.0	5.5	765 / 1224
90000000712	2362311	120/70-12*	58P	MT3.50	2.75-3.75	126 / 5.0	473 / 18.6	5.5	700 / 1120
90000000713	2362411	130/70-12*	62P	MT3.50	3.00-4.00	131 / 5.2	487 / 19.2	5.5	680 / 1088
90000000714	2362511	130/60-13*	60P	MT3.50	3.00-4.00	130 / 5.1	486 / 19.1	5.0	681 / 1090

*Reinforced | Viper Stryke manufactured outside the UK


Butyl Rubber

Tube Size	Tyre Sizes Imperial	Tyre Sizes Metric	Tube Valve	Tube Type
A10T300	2.75-10	80/90-10	TR87	STD
	3.00-10	90/90-10		
A10T350	3.00-10	90/90-10	TR87	STD
	3.50-10	100/90-10		
A16T130	5.00-16	MT90-16	TR4	STD
	5.10-16	130/90-16		
		140/90-16		
		150/80-16*		
		160/80-16		
A17T120	4.50-17	120/90-17	TR4	STD
	5.10-17	130/70-17		
		130/80-17		
		140/70-17		
		150/60-17		
A17T150	5.00-17	130/90-17	TR4	STD
	5.10-17	140/80-17		
		150/70-17		
		160/60-17		
		160/70-17		
A17T250	2.50-17	70/90-17	TR4	STD
	2.75-17	80/90-17		
A17T300	2.75-17	80/90-17	TR4	STD
	3.00-17	90/90-17		
A18T300	2.75-18	80/90-18	TR4	STD
	3.00-18	90/90-18		
A18T325	3.25-18	100/90-18	TR4	STD
	3.50-18	110/80-18		
		90/90-18		
A19T300	2.75-19	80/90-19	TR4	STD
	3.00-19	90/90-19		
A19T325	3.25-19	100/90-19	TR4	STD
	3.50-19	110/80-19		
		90/90-19		
A21T275	2.75-21	80/90-21	TR4	STD
	3.00-21	90/90-21		
		MH90-21		

*OEM Triumph



TR87 VALVE



TR4 VALVE

Natural Rubber

Tube Size	Tyre Sizes Imperial	Tyre Sizes Metric	Tube Valve	Tube Type
A18T110	3.50-18	110/90-18	TR4	Heavy Duty
	4.00-18	120/80-18		
		120/90-18		
		130/70-18		
		130/80-18		
		100/90-18		
A18T400	4.00-18	100/100-18	TR4	Heavy Duty
	4.50-18	110/100-18		
		120/90-18		
		130/80-18		
		140/80-18		
		110/90-18		
A19T100	4.00-19	100/90-19	TR4	Heavy Duty
	4.50-19	110/90-19		
A21T300	2.75-21	80/90-21	TR4	Heavy Duty
	3.00-21	90/90-21		
		MH90-21		



- Natural rubber
- Fitments for 18" to 21" rims



TR4 VALVE

Fitment Guide

IMPORTANT NOTE

While great care has been made to ensure the data contained in this booklet is accurate and up to date, Cooper Tire & Rubber Europe Ltd cannot accept any responsibility for any errors or omissions contained within. We reserve the right to alter specifications at any time and without prior notice.

This issue supercedes all previous databooks/fitment guides.

Due to the ever changing nature of fitment guides, we strongly recommend checking our website for the most up to date information at www.avontyres.com

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
APRILLA									
50	2017-	RX 50		80/90-21 48S TL	Trailrider M+S AV53	110/80-18 58S TL	Trailrider M+S AV54	2.00 / 29	2.30 / 33
50	2015-	SR Motard 50		120/70-14 55S TL	Viper Stryke AM63	120/70-14 55S TL	Viper Stryke AM63	2.00 / 29	2.20 / 32
50	2011-	RS4 50	PG	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.10 / 30
50	2011-	RS4 50	PG	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.10 / 30
50	2011-	Sport City One 50 2T		120/70-14 55S TL	Viper Stryke AM63	120/70-14 55S TL	Viper Stryke AM63	1.80 / 26	2.00 / 29
50	2009-	One 50 2T		120/70-14 55S TL	Viper Stryke AM63	120/70-14 55S TL	Viper Stryke AM63	1.90 / 28	2.20 / 32
50	2008-	MX 50 Supermoto	ST	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.30 / 33
50	2008-	MX 50 Supermoto	ST	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.30 / 33
50	2007-	SR 50 Europe - Urban - Vip - Racing - Stealth - WWW	LB-LC-LY	130/60-13 60P TL	Viper Stryke AM63	130/60-13 60P TL	Viper Stryke AM63	1.90 / 28	2.10 / 30
50	2007-	SR 50 Europe - Urban - Vip - Racing - Stealth - WWW	MR-MZ-RL-TE	130/60-13 60P TL	Viper Stryke AM63	130/60-13 60P TL	Viper Stryke AM63	1.90 / 28	2.10 / 30
50	2007-	SR 50 LC R - Factory - Street	LC-MZ-LY-LB-VF	130/60-13 60P TL	Viper Stryke AM63	130/60-13 60P TL	Viper Stryke AM63	2.00 / 29	2.20 / 32
50	2007-	SR 50 Netscaper	MZ-LY	130/60-13 60P TL	Viper Stryke AM63	130/60-13 60P TL	Viper Stryke AM63	1.90 / 28	2.10 / 30
50	2006-	RS 50	PG	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.10 / 30
50	2006-	RS 50	PG	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.10 / 30
50	2006-	SX 50		100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.30 / 33
50	2006-	SX 50		100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.30 / 33
125	2018-	RX 125		90/90-21 54V TL	Trailrider M+S AV53	120/80-18 62S TL	Trailrider M+S AV54	1.70 / 25	2.00 / 29
125	2018-	SX 125 Supermoto	RV-SX	110/70V17 (54V) TL	Roadrider AM26	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.30 / 33
125	2018-	SX 125 Supermoto	RV-SX	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.30 / 33
125	2018-	SX 125 Supermoto	RV-SX	110/70ZR17 (54W) TL	Storm 3D X-M AV65	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.30 / 33
125	2017-	RS 125 ABS - 125 Replica ABS Euro 4	KC	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.10 / 30
125	2017-	RS 125 ABS - 125 Replica ABS Euro 4	KC	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.10 / 30
125	2017-	Tuono 125 Euro 4	KC	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.30 / 33	2.50 / 36
125	2017-	Tuono 125 Euro 4	KC	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.30 / 33	2.50 / 36
125	2008-2017	SX 125 Supermoto (11kw + 17kw)	TZ	110/70V17 (54V) TL	Roadrider AM26	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.10 / 30
125	2008-2017	SX 125 Supermoto (11kw + 17kw)	TZ	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.10 / 30
125	2008-2017	SX 125 Supermoto (11kw + 17kw)	TZ	110/70ZR17 (54W) TL	Storm 3D X-M AV65	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.10 / 30
125	2011-	RS4 125	TW	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.30 / 33
125	2011-	RS4 125	TW	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.30 / 33
125	2011	RS4 125	TW	110/70V17 (54V) TL	Roadrider AM26	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.30 / 33
125	2011	RS4 125	TW	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.30 / 33
125	2011	RS4 125	TW	110/70ZR17 (54W) TL	Storm 3D X-M AV65	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.30 / 33
125	1992-2009	AF1 Extrema - Extrema	FM	110/70V17 (54V) TL	Roadrider AM26	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.30 / 33
125	1992-2009+	AF1 Extrema - Extrema	FM	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.30 / 33
500	2007-2011	Scarabeo 500 Ie	VR	110/70-16 52S TL	Viper Stryke AM63	150/70-14 66S TL	Viper Stryke AM63	2.20 / 32	2.30 / 33
650	2006-	Pegaso 650 Trail	VD	100/90-19 57H TL	Trailrider M+S AV53	130/80R17 65H TL	Trailrider M+S AV54	2.10 / 30	2.30 / 33
650	2006-	Pegaso 650 Trail	VD	100/90-19 57H TL	Trailrider M+S AV53	140/80R17 69V TL	Trailrider M+S AV54	2.10 / 30	2.30 / 33
750	2009-	SMV 750 Dorsoduro Factory	SM	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.70 / 39
750	2008-	SMV 750 Dorsoduro Factory	SM	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
750	2008-	SMV 750 Dorsoduro Factory	SM	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
750	2008-	SMV 750 Dorsoduro Factory	SM	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
750	2007-	SL 750 Shiver - GT	RA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	RA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	RA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	RA	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	RA	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	RA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
750	2007-	SL 750 Shiver - GT	RA	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
850	2006-	NA 850 Mana - GT	RC	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.80 / 41
850	2006-	NA 850 Mana - GT	RC	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.80 / 41
850	2006-	NA 850 Mana - GT	RC	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.80 / 41
850	2006-	NA 850 Mana - GT	RC	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	KB	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	KB	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	KB	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
900	2018-	SMV 900 Dorsoduro	KB	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
900	2017-	SL 900 Shiver	KH	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
900	2017-	SL 900 Shiver	KH	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
900	2017-	SL 900 Shiver	KH	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
900	2017-	SL 900 Shiver	KH	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1000	2016-	RSV 4 RR - RF	KE	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015-	RSV 4 RR - RF	RK	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015-	RSV 4 RR - RF	RK	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
1000	2015-	RSV 4 RR - RF	RK	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2015-	RSV 4 RR - RF	RK	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	TY	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	TY	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	TY	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2015	Tuono V4 RR Factory	TY	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	TY	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	TY	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	TY	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2011-2014	Tuono V4R	TY	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	RK/B/00-RK/B/01	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	RK/B/00-RK/B/01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	RK/B/00-RK/B/01	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	RK/B/00-RK/B/01	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	RK/B/00-RK/B/01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	RK/B/00-RK/B/01	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2011-	RSV4 Factory; R	RK/B/00-RK/B/01	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2010-	RSV4 R	RK/A/00-RK/A/00	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2010-	RSV4 R	RK/A/00-RK/A/00	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2010-	RSV4 R	RK/A/00-RK/A/00	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2010-	RSV4 R	RK/A/00-RK/A/00	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2010-	RSV4 R	RK/A/00-RK/A/00	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2010-	RSV4 R	RK/A/00-RK/A/00	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2010-	RSV4 R	RK/A/00-RK/A/00	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2009-	RSV4 Factory	RK/0/00-RK/0/01	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2009-	RSV4 Factory	RK/0/00-RK/0/01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2009-	RSV4 Factory	RK/0/00-RK/0/01	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
BMW									
310	2016-	G 310 R	5R31; 0G01	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.20 / 32	2.30 / 33
350	2018-	C 400 X	K09	120/70-15 56S TL	Viper Stryke AM63	150/70-14 66S TL	Viper Stryke AM63	2.40 / 35	2.60 / 38
350	2018-	C 400 GT	K09	120/70-15 56S TL	Viper Stryke AM63	150/70-14 66S TL	Viper Stryke AM63	2.40 / 35	2.60 / 38
450	2008-	G 450 X	E45X	90/90-21 54V TL	Trailrider M+S AV53	140/80-18 70S TL	Trailrider M+S AV54	1.80 / 26	2.10 / 30
450	2008-	G 450 X	E45X	90/90-21 54T TL	Trekridr M+S AV84	140/80-18 70T TL	Trekridr M+S AV85	1.80 / 26	2.10 / 30
650	2012-	G 650 GS Sertao	E650G	90/90-21 54V TL	Trailrider M+S AV53	130/80R17 65H TL	Trailrider M+S AV54	2.10 / 30	2.30 / 33
650	2012-	G 650 GS Sertao	E650G	90/90-21 54V TL	Trailrider M+S AV53	130/80-17 65H TL	Trailrider M+S AV54	2.10 / 30	2.30 / 33
650	2012-	G 650 GS Sertao	E650G	90/90-21 54T TL	Trekridr M+S AV84	130/80-17 65T TL	Trekridr M+S AV85	2.10 / 30	2.30 / 33
650	2011-	G 650 GS	E650G	110/80R19 59V TL	Trailrider M+S AV53	140/80R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
650	2011-	G 650 GS	E650G	110/80-19 59V TL	Trekridr M+S AV84	140/80-17 69T TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
650	2006-2009	G 650 Xchallenge (mit/ohne ABS)	E65X	90/90-21 54V TL	Trailrider M+S AV53	140/80-18 70S TL	Trailrider M+S AV54	1.90 / 28	2.20 / 32
650	2006-2009	G 650 Xchallenge (mit/ohne ABS)	E65X	90/90-21 54T TL	Trekridr M+S AV84	140/80-18 70T TL	Trekridr M+S AV85	1.90 / 28	2.20 / 32
650	2006-2009	G 650 Xcountry	E65X	100/90-19 57H TL	Trailrider M+S AV53	130/80R17 65H TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xcountry	E65X	100/90-19 57H TL	Trailrider M+S AV53	130/80-17 65H TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	E65X	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	E65X	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	E65X	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
650	2006-2009	G 650 Xmoto	E65X	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
798	2012-2017	F 700 GS	E8GS; 4G80; 4G80r	110/80-19 59V TL	Trekridr M+S AV84	140/80-17 69T TL	Trekridr M+S AV85	2.20 / 32	2.50 / 36
798	2012-2017	F 700 GS	E8GS; 4G80; 4G80r	110/80R19 59V TL	Trailrider M+S AV53	140/80R17 69V TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
800	2015-	F 800 R	E8ST; 4R80	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2015-	F 800 R	E8ST; 4R80	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2015-	F 800 R	E8ST; 4R80	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
800	2015-	F 800 R	E8ST; 4R80	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2009-2014	F 800 R	E8ST	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2009-2014	F 800 R	E8ST	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2009-2014	F 800 R	E8ST	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
800	2009-2014	F 800 R	E8ST	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2013-	F 800 GT	E8ST; 4R80	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2013-	F 800 GT	E8ST; 4R80	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2013-	F 800 GT	E8ST; 4R80	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
800	2013-	F 800 GT	E8ST; 4R80	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2008-2012	F 650 GS Twin	E8GS	110/80R19 59V TL	Trailrider M+S AV53	140/80R17 69V TL	Trailrider M+S AV54	2.20 / 32	2.90 / 42
800	2008-2012	F 650 GS Twin	E8GS	110/80-19 59V TL	Trekridr M+S AV84	140/80-17 69T TL	Trekridr M+S AV85	2.20 / 32	2.90 / 42
800	2008-	F 800 GS - F 800 GS Adventure	E8GS; 4G80; 4G80r	90/90-21 54V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
800	2008-	F 800 GS - F 800 GS Adventure	E8GS; 4G80; 4G80r	90/90-21 54T TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.20 / 32	2.50 / 36
800	2006-	F 800 S - F 800 ST	E8ST	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2006-	F 800 S - F 800 ST	E8ST	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2006-	F 800 S - F 800 ST	E8ST	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
800	2006-	F 800 S - F 800 ST	E8ST	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
850	2018-	F 850 GS	4G85	90/90-21 54V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
850	2018-	F 850 GS	4G85	90/90-21 54T TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.20 / 32	2.50 / 36
853	2018-	F 750 GS	4G85	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.80 / 41
853	2018-	F 750 GS	4G85	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.20 / 32	2.80 / 41
853	2018-	F 750 GS	4G85	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.80 / 41
853	2018-	F 750 GS	4G85	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.20 / 32	2.80 / 41
1000	2016-2018	S 1000 RR	2R10-2R10R	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2016-2018	S 1000 RR	2R10-2R10R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2016-2018	S 1000 RR	2R10-2R10R	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2016-2018	S 1000 RR	2R10-2R10R	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2017-	S 1000 R	2R10-2R10R	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2017-	S 1000 R	2R10-2R10R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2017-	S 1000 R	2R10-2R10R	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2016-	S 1000 R	2R10R	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2016-	S 1000 R	2R10R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2016-	S 1000 R	2R10R	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2016-	S 1000 XR	2X10; 2X10R	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2016-	S 1000 XR	2X10; 2X10R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2016-	S 1000 XR	2X10; 2X10R	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2014-2015	S 1000 R	K10	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2014-2015	S 1000 R	K10	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2014-2015	S 1000 R	K10	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	K10	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	K10	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	K10	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	K10	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015	S 1000 RR	K10	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015	S 1000 XR	K10	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2015	S 1000 XR	K10	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	K10	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	K10	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	K10	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2013-2014	S 1000 RR HP4	K10	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2009-2014	S 1000 RR	K10	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
1000	2009-2014	S 1000 RR	K10	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2009-2014	S 1000 RR	K10	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2009-2014	S 1000 RR	K10	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1170	2017-	R Nine T Urban GS	1N12	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1170	2017-	R Nine T Urban GS	1N12	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1170	2016-	R Nine T Scrambler	1N12	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1170	2016-	R Nine T Scrambler	1N12	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1170	2008-	HP2 Sport	R12S	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.20 / 32	2.50 / 36
1170	2008-	HP2 Sport	R12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
1170	2008-	HP2 Sport	R12S	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.20 / 32	2.50 / 36
1170	2006-	HP2 Megamoto	RHP2	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.50 / 36
1170	2006-	HP2 Megamoto	RHP2	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
1170	2006-	HP2 Megamoto	RHP2	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.50 / 36
1170	2006-	HP2 Megamoto	RHP2	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
1200	2015-2018	R 1200 R (K53)	R12WR	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 R (K53)	R12WR	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 R (K53)	R12WR	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 R (K53)	R12WR	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	R12WR; 1R12	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	R12WR; 1R12	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	R12WR; 1R12	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2015-2018	R 1200 RS	R12WR; 1R12	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2014-2018	R 1200 RT (K52)	R12WT	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2014-2018	R 1200 RT (K52)	R12WT	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2014-2018	R 1200 RT (K52)	R12WT	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	1N12	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	1N12	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	1N12	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Pure	1N12	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	1N12	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	1N12	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	1N12	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2017-	R Nine T Racer	1N12	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2016-	R 1200 GS - Rallye - Exclusive (ab 09/2016)	1G12	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2016-	R 1200 GS - Rallye - Exclusive (ab 09/2016)	1G12	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2016-	R 1200 GS Adventure	1G12	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2016-	R 1200 GS Adventure	1G12	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	1N12	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	1N12	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	1N12	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2016-	R Nine T	1N12	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	1N12	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	1N12	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	1N12	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2016-	R Nine T Scrambler X	1N12	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2013-2015	R 1200 GS - Adventure	R12W	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2013-2015	R 1200 GS - Adventure	R12W	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	R1ST	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	R1ST	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	R1ST	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2013-2015	R Nine T	R1ST	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	R1ST	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	R1ST	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	R1ST	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2011-2014	R 1200 R Classic Speichenrad	R1ST	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2006-2014	R 1200 R (K27)	R1ST (0378-0400)	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2006-2014	R 1200 R (K27)	R1ST (0378-0400)	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2006-2014	R 1200 R (K27)	R1ST (0378-0400)	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2006-2014	R 1200 R (K27)	R1ST (0378-0400)	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	R12	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	R12	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	R12	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2008-2012	R 1200 GS - Adventure	R12	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	R12S	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	R12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	R12S	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 5.50 Felge	R12S	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 6.00 Felge	R12S	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 6.00 Felge	R12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2006-2011	R 1200 S 6.00 Felge	R12S	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2005-2011	R 1200 ST	R1ST	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2005-2011	R 1200 ST	R1ST	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2005-2011	R 1200 ST	R1ST	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2007-	K 1200 R Sport 5.50 Felge	K12R	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2007-	K 1200 R Sport 5.50 Felge	K12R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2007-	K 1200 R Sport 5.50 Felge	K12R	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2007-	K 1200 R Sport 5.50 Felge	K12R	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2007-	K 1200 R Sport 6.00 Felge	K12R	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
BMW									
1200	2007-	K 1200 R Sport 6.00 Felge	K12R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2007-	K 1200 R Sport 6.00 Felge	K12R	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2006-	K 1200 GT	K12S	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.90 / 42	2.90 / 42
1200	2006-	K 1200 GT	K12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.90 / 42	2.90 / 42
1200	2006-	K 1200 GT	K12S	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.90 / 42	2.90 / 42
1300	2009-2016	K 1300 R 5.50 Felge	K12S	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 5.50 Felge	K12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 5.50 Felge	K12S	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 6.00 Felge	K12S	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 6.00 Felge	K12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 R 6.00 Felge	K12S	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 S	K12S	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 S	K12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1300	2009-2016	K 1300 S	K12S	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1300	2009-	K 1300 GT	K12S	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1300	2009-	K 1300 GT	K12S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1600	2018-	K 1600 B - Grand America - Bagger	2T16; 2T16R	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.90 / 42	2.90 / 42
1600	2018-	K 1600 B - Grand America - Bagger	2T16; 2T16R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.90 / 42	2.90 / 42
1600	2017-	K 1600 GT - K 1600 GTL	2T16; 2T16R	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.90 / 42	2.90 / 42
1600	2017-	K 1600 GT - K 1600 GTL	2T16; 2T16R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.90 / 42	2.90 / 42
1600	2011-2016	K 1600 GT _ _ GTL	K16GT	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.90 / 42	2.90 / 42
1600	2011-2016	K 1600 GT _ _ GTL	K16GT	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.90 / 42	2.90 / 42
900-1200	2005-2011	R 1200 RT; R 900 RT	R12T	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
900-1200	2005-2011	R 1200 RT; R 900 RT	R12T	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
900-1200	2005-2011	R 1200 RT; R 900 RT	R12T	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
DUCATI									
399	2016-	Scrambler Sixty 2	KA-KC	110/80ZR18 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
399	2016-	Scrambler Sixty 2	KA-KC	110/80ZR18 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
696	2008-	M 696 - M 696 ABS	M5-00	120/60ZR17 (55W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
696	2008-	M 696 - M 696 ABS	M5-00	120/60ZR17 (55W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
696	2008-	M 696 - M 696 ABS	M5-00	120/60ZR17 (55W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
796	2010-	Hypermotard 796	B1-01_AA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
796	2010-	Hypermotard 796	B1-01_AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
796	2010-	Hypermotard 796	B1-01_AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
796	2010-	Hypermotard 796	B1-01_AA	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
796	2010-	Monster 796 ABS	M506 VersAB	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
796	2010-	Monster 796 ABS	M506 VersAB	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
796	2010-	Monster 796 ABS	M506 VersAB	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
796	2010-	Monster 796 ABS	M506 VersAB	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
800	2016-	Scrambler Urban Enduro	K1	110/80ZR18 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
800	2016-	Scrambler Urban Enduro	K1	110/80ZR18 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
800	2014-2016	Scrambler Classic Full Throttle - Flat Track	K1-KC	110/80ZR18 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Classic Full Throttle - Flat Track	K1-KC	110/80ZR18 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Icon	K1-KC	110/80ZR18 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
800	2014-2016	Scrambler Icon	K1-KC	110/80ZR18 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
803	2017-	Monster 797 - Monster 797+	MD	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
803	2017-	Monster 797 - Monster 797+	MD	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
803	2017-	Monster 797 - Monster 797+	MD	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
803	2017-	Monster 797 - Monster 797+	MD	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
803	2017-	Scrambler Cafe Racer	KC02	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
803	2017-	Scrambler Cafe Racer	KC02	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
803	2017-	Scrambler Cafe Racer	KC02	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
803	2017-	Scrambler Cafe Racer	KC02	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
803	2017-	Scrambler Desert Sled	KB	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
803	2017-	Scrambler Desert Sled	KB	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
820	2013-	Hypermotard SP 821	B2-00	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
820	2013-	Hypermotard SP 821	B2-00	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
820	2013-	Hypermotard SP 821	B2-00	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
820	2013-	Hypermotard SP 821	B2-00	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
821	2018-	Monster 821	MH	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
821	2018-	Monster 821	MH	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
821	2018-	Monster 821	MH	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
821	2018-	Monster 821	MH	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	B2-00	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	B2-00	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	B2-00	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
821	2013-	Hypermotard 821	B2-00	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
821	2013-	Hyperstrada 821	B2-00	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.50 / 36
821	2013-	Hyperstrada 821	B2-00	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
821	2013-	Hyperstrada 821	B2-00	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.50 / 36
821	2013-	Hyperstrada 821	B2-00	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
848	2014-	848 Streetfighter	F1	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
848	2014-	848 Streetfighter	F1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
848	2014-	848 Streetfighter	F1	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
848	2007-	848 - EVO - Dark	H6	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
848	2007-	848 - EVO - Dark	H6	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
848	2007-	848 - EVO - Dark	H6	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.50 / 36
899	2014-	899 Panigale	H8	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
899	2014-	899 Panigale	H8	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
899	2014-	899 Panigale	H8	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
937	2017-	Multistrada 950 - SW	AA05	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
937	2017-	Multistrada 950 - SW	AA05	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
937	2017-	Multistrada 950 - SW	AA05	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
937	2017-	Supersport 937 - Supersport 937 S	VA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
937	2017-	Supersport 937 - Supersport 937 S	VA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
937	2017-	Supersport 937 - Supersport 937 S	VA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
939	2018-	Hypermotard 939 SP		120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
939	2018-	Hypermotard 939 SP		120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
939	2018-	Hypermotard 939 SP		120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
939	2018-	Hypermotard 939 SP		120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939	BA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939	BA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939	BA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939	BA	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939 SP	BA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939 SP	BA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939 SP	BA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
939	2016-	Hypermotard 939 SP	BA	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
939	2016-	Hyperstrade 939	BA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
939	2016-	Hyperstrade 939	BA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
939	2016-	Hyperstrade 939	BA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
939	2016-	Hyperstrade 939	BA	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
959	2018-	959 Panigale - Corse		120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
959	2018-	959 Panigale - Corse		120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
959	2018-	959 Panigale - Corse		120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
959	2016-	959 Panigale	HA-00-AA	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
959	2016-	959 Panigale	HA-00-AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
959	2016-	959 Panigale	HA-00-AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
1000	2007-	ST 3 - S ABS	S302	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.50 / 36
1000	2007-	ST 3 - S ABS	S302	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
1000	2007-	ST 3 - S ABS	S302	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.50 / 36
1000	2007-	ST 3 - S ABS	S302	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
1079	2018-	Scrambler 1100 - Special - Sport	KF	120/70ZR18 (59W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.40 / 35
1098	2006-2010	1098 S	H7-00-04	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
1098	2006-2010	1098 S	H7-00-04	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
1098	2006-2010	1098 S	H7-00-04	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
1098	2009-	Streetfighter / Streetfighter S	F1 00	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.40 / 35	2.40 / 35
1098	2009-	Streetfighter / Streetfighter S	F1 00	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.40 / 35	2.40 / 35
1098	2009-	Streetfighter / Streetfighter S	F1 00	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.40 / 35	2.40 / 35
1100	2008-	Desmosedici RR		120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	-	-
1100	2008-	Hypermotard 1100 - EVO SP	B1-00_AA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
1100	2008-	Hypermotard 1100 - EVO SP	B1-00_AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
1100	2008-	Hypermotard 1100 - EVO SP	B1-00_AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.50 / 36
1100	2008-	Hypermotard 1100 - EVO SP	B1-00_AA	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
1100	2008-	Monster 1100 - S - EVO - ABS	M502	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
1100	2008-	Monster 1100 - S - EVO - ABS	M502	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
1100	2008-	Monster 1100 - S - EVO - ABS	M502	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
1100	2008-	Monster 1100 - S - EVO - ABS	M502	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
1100	2006-	Multistrada 1100 - S	A109	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
1100	2006-	Multistrada 1100 - S	A109	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
1100	2006-	Multistrada 1100 - S	A109	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.50 / 36
1100	2006-	Multistrada 1100 - S	A109	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.50 / 36
1198	2017-	Monster 1200 - Monster 1200 S	MA02	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.80 / 41
1198	2017-	Monster 1200 - Monster 1200 S	MA02	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.80 / 41
1198	2017-	Monster 1200 - Monster 1200 S	MA02	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.80 / 41
1198	2010-2011	1198 - 1198 SP	H7-00-04	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
1198	2010-2011	1198 - 1198 SP	H7-00-04	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
1198	2010-2011	1198 - 1198 SP	H7-00-04	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
1198	2011	1198 SP	H7-00-04	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
1198	2011	1198 SP	H7-00-04	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
1198	2011	1198 SP	H7-00-04	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
1199	2015-	1199 Panigale R	H9-00	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.20 / 32	2.10 / 30
1199	2015-	1199 Superleggera	H806	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.30 / 33	2.40 / 35
1199	2012-2015	1199 Panigale - Panigale R - Panigale S	H8	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.30 / 33	2.40 / 35
1200	2016-	Monster 1200 R	MA00	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
1200	2016-	Multistrada 1200 Enduro	AA	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
1200	2016-	Multistrada 1200 Enduro	AA	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
1200	2016-	Multistrada 1200 Enduro	AA	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
1200	2015-	Multistrada 1200 - S - D-Air - Pikes-Peak	AA	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2015-	Multistrada 1200 - S - D-Air - Pikes-Peak	AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2015-	Multistrada 1200 - S - D-Air - Pikes-Peak	AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
DUCATI									
1200	2013-2014	Multistrada 1200 - S - GT	A3	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2013-2014	Multistrada 1200 - S - GT	A3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2013-2014	Multistrada 1200 - S - GT	A3	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2013-	Monster 1200 - Monster 1200 S	M6	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2013-	Monster 1200 - Monster 1200 S	M6	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2013-	Monster 1200 - Monster 1200 S	M6	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2010-2012	Multistrada 1200 - S	A2	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2010-2012	Multistrada 1200 - S	A2	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2010-2012	Multistrada 1200 - S	A2	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1260	2018-	Multistrada 1260 - S - D-Air - Pikes Peak	AC	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1260	2018-	Multistrada 1260 - S - D-Air - Pikes Peak	AC	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1260	2018-	Multistrada 1260 - S - D-Air - Pikes Peak	AC	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1260	2018-	Multistrada 1260 Enduro - Pro	AC	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
1260	2018-	Multistrada 1260 Enduro - Pro	AC	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
1285	2018-	1299 Panigale R Final Edition	HC-02	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.20 / 32	2.10 / 30
1299	2017-	1299 Superleggera		120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
1299	2015-	1299 Panigale - Panigale S	H9-03	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.20 / 32	2.10 / 30
800-1000	2007-	M S2 R 800ccm 1000ccm 07	M4-21	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.20 / 32	2.40 / 35
800-1000	2007-	M S2 R 800ccm 1000ccm 07	M4-21	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.20 / 32	2.40 / 35
800-1000	2007-	M S2 R 800ccm 1000ccm 07	M4-21	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.20 / 32	2.40 / 35
800-1000	2007-	M S2 R 800ccm 1000ccm 07	M4-21	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.20 / 32	2.40 / 35
HARLEY DAVIDSON									
749	2018-	XG 750 A Street Rod	XG1	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.80 / 41
749	2018-	XG 750 A Street Rod	XG1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.80 / 41
883	2018-	XL 883 L Super Low 883	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
883	2018-	XL 883 L Super Low 883	XL2	120/70ZR17 (58W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
883	2018-	XL 883 L Super Low 883	XL2	120/70ZR18 (59W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
883	2018-	XL 883 N Sportster Iron 883	XL2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
883	2018-	XL 883 N Sportster Iron 883	XL2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
883	2017-	XL 883 L Super Low	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
883	2017-	XL 883 L Super Low	XL2	120/70ZR18 (59W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
883	2017-	XL 883 L Super Low	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
883	2017	XL 883 N - XL 883 R / Roadster - Iron	XL2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
883	2017	XL 883 N - XL 883 R / Roadster - Iron	XL2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
883	2011-2016	XL 883 L Super Low	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
883	2011-2016	XL 883 L Super Low	XL2	120/70ZR18 (59W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
883	2011-2016	XL 883 L Super Low	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
883	2004-2016	XL 883 R - XL 883 N / Roadster - Iron	XL2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
883	2004-2016	XL 883 R - XL 883 N / Roadster - Iron	XL2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
883	2004-2010	XL 883 L	XL2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
883	2004-2010	XL 883 L	XL2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
883	2009-	XL 883 C Custom	XL2	MH90-21 56V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
883	2009-	XL 883 C Custom	XL2	MH90-21 56V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1200	2014-16	XL 1200 T Super Low	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1200	2014-16	XL 1200 T Super Low	XL2	120/70ZR18 (59W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1200	2017	XL 1200 T Super Low	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1200	2017	XL 1200 T Super Low	XL2	120/70ZR18 (59W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 C 1200 Custom	XL2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 C 1200 Custom	XL2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 CX Sportster Roadster TM	XL2	120/70ZR19 (60W) TL	Trailrider M+S AV53	150/70R18 70V TL	Trailrider M+S AV54	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 NS Iron	XL2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 NS Iron	XL2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 T Sportster Super Low 1200T	XL2	120/70ZR18 (59W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 T Sportster Super Low 1200T	XL2	120/70ZR18 (59W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 X Forty-Eight - Aniversary	XL2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 X Forty-Eight - Aniversary	XL2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 XS Forty-Eight - Special	XL2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2018-	XL 1200 XS Forty-Eight - Special	XL2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2017-	XL 1200 CX Roadster	XL2	120/70ZR19 (60W) TL	Trailrider M+S AV53	150/70R18 70V TL	Trailrider M+S AV54	2.50 / 36	2.70 / 39
1202	2011-2017	XL 1200 C - CA - CB Custom; Limitid	XL2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2011-2017	XL 1200 C - CA - CB Custom; Limitid	XL2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2017	XL 1200 X Forty-Eight	XL2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2017	XL 1200 X Forty-Eight	XL2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2012-2016	XL 1200 V Seventy-Two	XL2	MH90-21 56V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2012-2016	XL 1200 V Seventy-Two	XL2	MH90-21 56V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2010-2016	XL 1200 X Forty-Eight	XL2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2010-2016	XL 1200 X Forty-Eight	XL2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2004-2016	XL 1200 L - XL 1200 R - Low / Roadster	XL2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2004-2016	XL 1200 L - XL 1200 R - Low / Roadster	XL2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2013	XL 1200 C Custom 110th Anniversary Edition	XL2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2013	XL 1200 C Custom 110th Anniversary Edition	XL2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2008-2012	XL 1200 N 1200 Nightster	XL2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2008-2012	XL 1200 N 1200 Nightster	XL2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1202	2008-2012	XR 1200 / XR 1200 X	XR1	120/70ZR18 (59W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
1202	2008-2012	XR 1200 / XR 1200 X	XR1	120/70ZR18 (59W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1202	2004-2010	XL 1200 C Custom	XL2	MH90-21 56V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.70 / 39
1202	2004-2010	XL 1200 C Custom	XL2	MH90-21 56V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.70 / 39
1246	2009-	VRSCF V-Rod Muscle	VR1	120/70ZR19 (60W) TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1246	2009-	VRSCF V-Rod Muscle	VR1	120/70ZR19 (60W) TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1247	2012-2012	VRSCDX V-Rod 10th Anniversary Edition	VR1	120/70ZR19 (60W) TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1247	2012-2012	VRSCDX V-Rod 10th Anniversary Edition	VR1	120/70ZR19 (60W) TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1450	2013	FLTRXSE2 CVO Road Glide 110th Anniversary Edition	FL2	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1450	2013	FLTRXSE2 CVO Road Glide Custom	FL2	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1450	2006-	FXSTSI Softail Springer EFI	FS2	MH90-21 56V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584	2017	FLSTFB Fat Boy	FS2	140/75R17 67V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584	2017	FLSTFBS Fat Boy S	FS2	140/75R17 67V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584	2015-2016	FLTRXS Road Glide Special	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1584	2014-2016	FLRT Tri Glide Ultra	TG1	MT90B16 74H TL	Cobra Trike AV71	205/65R15 94V TL	AVON ZV7	-	-
1584	2014-2016	FLRT Tri Glide Ultra	TG1	MT90B16 74H TL	Cobra Chrome Trike AV91	205/65R15 94V TL	AVON ZV7	-	-
1584	2011-2013	FXS / FXS103 Blackline	FS2	MH90-21 56V TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.50 / 36	3.00 / 44
1584	2011-2013	FXS / FXS103 Blackline	FS2	MH90-21 56V TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.50 / 36	3.00 / 44
1584	2009-2013	FLHR / FLHR103 Road King	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584	2009-2013	FLHR / FLHR103 Road King	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584	2012	FLTRXSE Screamin Eagle Road Glide Special	FL2	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1584	2010-2011	FLHXXX Street Glide Trike	FL1	MT90B16 74H TL	Cobra Trike AV71	205/65R15 94V TL	AVON ZV7	-	-
1584	2010-2011	FLHXXX Street Glide Trike	FL1	MT90B16 74H TL	Cobra Chrome Trike AV91	205/65R15 94V TL	AVON ZV7	-	-
1584	2008-2011	FXCW / FXCWC Rocker / Rocker C	FS2	90/90-19 52V TL	Roadrider AM26	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584	2008-2011	FXCW / FXCWC Rocker / Rocker C	FS2	100/90-19 57V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584	2008-2011	FXCW / FXCWC Rocker / Rocker C	FS2	100/90-19 57V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584	2009-	FLHTC Electra Glide Standard	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584	2009-	FLHT Electra Glide Standard	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584	2009	FLTR Road Glide	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584	2007-	FXSTC Softail Custom	FS2	MH90-21 56V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584	2009-1016	FLHTCUTG Ultra Classic Trike	FL1-TG1	MT90B16 74H TL	Cobra Trike AV71	205/65R15 94V TL	AVON ZV7	-	-
1584	2009-1016	FLHTCUTG Ultra Classic Trike	FL1-TG1	MT90B16 74H TL	Cobra Chrome Trike AV91	205/65R15 94V TL	AVON ZV7	-	-
1690	2017-	FXDL103 Low Rider	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1690	2017-	FLSTC Heritage Softail Classic	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2017-	FLSTC Heritage Softail Classic	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2017-	FLHP Road King Police	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2017-	FLHP Electra Glide Police	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2017	FXDB103 Street Bob	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1690	2017	FXDF103 Dyna Fat Bob	FD2	MT90B16 74H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1690	2017	FXDF103 Dyna Fat Bob	FD2	MT90B16 74H TL	Cobra Chrome WW AV91	180/70R16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
1690	2017	FXDWG103 Wide Glide	FD2	MH90-21 56V TL	Cobra Chrome AV91	180/60B17 81V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1690	2017	FLS Softail Slim	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2017	FLS Softail Slim	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2017	FXDLS Low Rider S	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1690	2017	FXSE CVO Pro Street Breakout	FS2	130/60B19 61V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1690	2017	FXSE CVO Pro Street Breakout	FS2	130/60B19 61V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1690	2016-	FLSTC Heritage Classic	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2016-	FLSTC Heritage Classic	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2014-2016	FLHP Road King Police	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2014-2016	FLHR / FLHRC Road King / Classic	FL3	MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2014-2016	FLHR / FLHRC Road King / Classic	FL3	MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2014-2016	FLHTCUTC Electra Glide Ultra Classic Low	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2014-2016	FLHTK/FLHTKL Electra Glide Ultra Limited / Low	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2014-2016	FLHP Electra Glide Police 2014-2016	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2014-2016	FLHX/FLHXS Street Glide / Special	FL3	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013-2016	FXDBA-B-C103 Street Bob Limited	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1690	2016	FLHRXS Road King Special	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	FL2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTC103 Heritage Classic	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTFI03 / FLSTFB103 Fat Boy	FS2	140/75R17 67V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013-2015	FLSTN103 Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2003-2015	FLSTC/1 Heritage Classic / EFI	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2003-2015	FLSTC/1 Heritage Classic / EFI	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2014-	FLHTKSE CVO Screamin Eagle Electra Glide Ultra Limited	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2010-2013	FLHTK / FLHTK103 Electra Glide Ultra Limited	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2010-2013	FLHTK / FLHTK103 Electra Glide Ultra Limited	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2009-2013	FLHP / FLHP103 Road King Police	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2009-2013	FLHTP/FLHTP103 Electra Glide Police	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2009-2013	FLHTP/FLHTP103 Electra Glide Police	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013	FXDCANV Super Glide Custom 110th Anniversary Edition	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
HARLEY DAVIDSON									
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013	FLSTC Heritage Classic 110th Anniversary Edition	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2013	FLSTFB103 Fat Boy 110th Anniversary Edition	FS2	140/75R17 67V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013	FLHR ANV Road King 110th Anv. Edition	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013	FLHR ANV Road King 110th Anv. Edition	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013	FLHTK Electra Glide Ultra Limited 110th Anniversare	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2013	FLHTK Electra Glide Ultra Limited 110th Anniversare	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2011	FLTRUSE CVO Road Glide Ultra	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2008	FLSTC-I Heritage Softail	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2008	FLSTC-I Heritage Softail	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1690	2008	FLSTC-I Heritage Softail	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690	2008	FLSTC-I Heritage Softail	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1691	2017	FXSB Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1691	2017	FXSB Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1691	2016	FXSB Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1691	2016	FXSB Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1691	2013-2015	FXSB103 Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1691	2013-2015	FXSB103 Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1745	2018-	FLDE Deluxe	ST1	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FLDE Deluxe	ST1	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1745	2018-	FLHC Heritage Classic	ST1	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FLHC Heritage Classic	ST1	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1745	2018-	FLSB Sport Glide	ST1	130/70B18 69H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FLSL Softail Slim	ST1	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FLSL Softail Slim	ST1	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1745	2018-	FXBB Street Bob	ST1	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1745	2018-	FXBB Street Bob	ST1	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
1745	2018-	FXBR Breakout	ST1	130/60B21 63V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FXBR Breakout	ST1	130/60B21 63V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FXFB Fat Bob 107	ST1	150/80-16 71H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1745	2018-	FXLR Low Rider	ST1	110/90-19 62H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1745	2018-	FLHXS / ANX Street Glide Special	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1745	2018-	FLTRU Road Glide Ultra	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FLTRX Road Glide	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2018-	FLHTCUTG Tri Glide Ultra	TG1	MT90B16 74H TL	Cobra Trike AV71	205/65R15 94V TL	AVON ZV7	-	-
1745	2018-	FLHTCUTG Tri Glide Ultra	TG1	MT90B16 74H TL	Cobra Chrome Trike AV91	205/65R15 94V TL	AVON ZV7	-	-
1745	2018-	FLRT Freewheeler	TG1	130/60B19 61H TL	Cobra AV71	205/65R15 94V TL	AVON ZV7	-	-
1745	2018-	FLRT Freewheeler	TG1	130/60B19 61V TL	Cobra Chrome AV91	205/65R15 94V TL	AVON ZV7	-	-
1745	2017-	FLDX Sport Glide	ST1	130/70VR18 (63V) TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1745	2017-	FLHR / FLHRC Road King / Classic	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2017-	FLHTK/FLHTKL Electra Glide Ultra Limited / Low	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2017-	FLTRU Road Glide Ultra	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2017-	FLTRXS Road Glide Special	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1745	2017-	FLHTCUTG Ultra Classic Trike	TG1	MT90B16 74H TL	Cobra Trike AV71	205/65R15 94V TL	AVON ZV7	-	-
1745	2017-	FLHTCUTG Ultra Classic Trike	TG1	MT90B16 74H TL	Cobra Chrome Trike AV91	205/65R15 94V TL	AVON ZV7	-	-
1745	2017-	FLRT Freewheeler	TG1	MT90B16 74H TL	Cobra Trike AV71	205/65R15 94V TL	AVON ZV7	-	-
1745	2017-	FLRT Freewheeler	TG1	MT90B16 74H TL	Cobra Chrome Trike AV91	205/65R15 94V TL	AVON ZV7	-	-
1745	2017	FXDB103 Street Bob	FD2	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1745	2017	FXDB103 Street Bob	FD2	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
1745	2017	FLHRXS Road King Special	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1745	2017	FLHXS Street Glide Special	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2017-	FLSS Softail Slim S	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2017-	FLSS Softail Slim S	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1801	2015-2016	FLHTCULTC Electra Glide Ultra Classic Low	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2015-2016	FLHXSE4 CVO Screamin Eagle Street Glide	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1801	2015-2016	FLTRUSE CVO Road Glide Ultra	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2014-2015	FLSTNSE/2 CVO Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1801	2013-2014	FLHRSE CVO Road King	FL2	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1801	2013-2014	FXSBSE CVO Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1801	2013-2014	FXSBSE CVO Breakout	FS2	130/60B21 63V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1801	2011-2013	FLHTCUSE6/7/8 CVO Screamin Eagle Electra Glide Ultra Class	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2013	FLHRSE5 CVO Road King 110th Anniversary Edition	FL2	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1801	2013	FLHTCUSE8 CVO Screamin Eagle Electra Glide 110th Anniversary	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1801	2011-2012	FLHXSE2/3 CVO Screamin Eagle Street Glide	FL2	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
1801	2011	FLTRSE CVO Road Glide	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1801	2010-2010	FXDFSE2 CVO Screamin Eagle Fat Bob	FD2	MT90B16 74H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1801	2010-2010	FXDFSE2 CVO Screamin Eagle Fat Bob	FD2	MT90B16 74H TL	Cobra Chrome WW AV91	180/70R16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
1802	2017	FLTRUSE CVO Road Glide Ultra	FL3	130/60B21 63V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1802	2009-2010	FLHTCUSE4/5 CVO Screamin Eagle Electra Glide Ultra Class	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1802	2009-2010	FLHTCUSE4/5 CVO Screamin Eagle Electra Glide Ultra Class	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1802	2010	FLHTCUSE5-BLK CVO Screamin Eagle Electra Glide Ultra Class	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1802	2010	FLHTCUSE5-BLK CVO Screamin Eagle Electra Glide Ultra Class	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1802	2010	FLHXSE CVO Screamin Eagle Street Glide	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1802	2009-2009	FXSTSSE3 CVO Scream. Eagle Softail Springer	FS2	130/70VR18 (63V) TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1802	2009	FXDFSE Screamin Eagle Dyna	FD2	MT90B16 74H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1802	2009	FXDFSE Screamin Eagle Dyna	FD2	MT90B16 74H TL	Cobra Chrome WW AV91	180/70R16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
1802	2009	FLTRSE3 CVO Screamin Eagle Road Glide	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1868	2018-	FLHCS Heritage Classic 114 Anniversary	ST1	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1868	2018-	FLHCS Heritage Classic 114 Anniversary	ST1	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1868	2018-	FXBRS Breakout 114 - Anniversary	ST1	130/60B21 63V TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1868	2018-	FXBRS Breakout 114 - Anniversary	ST1	130/60B21 63V TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1868	2018-	FXBS Fat Bob 114	ST1	150/80-16 71H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1868	2018-	FXDR	ST1	120/70ZR19 (60W) TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1868	2018-	FXDR	ST1	120/70ZR19 (60W) TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1868	2018-	FXFB Fat Bob 114	ST1	150/80-16 71H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1868	2018-	FLHRXS Road King Special	ST1	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1868	2018-	FLTRXS Road Glide Special	ST1	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1868	2018-	Ultra Limited / Low	ST1	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1868	2017-	FLHTKSE CVO Limited 2017-	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1868	2017-	FLHTKSE CVO Screamin Eagle Electra Glide Ultra Limited	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1868	2017	FLHXSE CVO Screamin Eagle Street Glide	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1923	2018-	FLHTKSE CVO Limited Anniversary	FL3	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1923	2018-	FLHXSE CVO Street Glide	FL3	130/60B19 61V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1923	2018-	FLTRXSE CVO Road Glide	FL3	130/60B21 63V TL	Cobra Chrome AV91	180/55VB18 (80V) TL	Cobra Chrome AV92	2.80 / 41	3.00 / 44
1131-1246	2007-2010	VRSCAW/A V-Rod	VR1	120/70ZR19 (60W) TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1131-1246	2007-2010	VRSCAW/A V-Rod	VR1	120/70ZR19 (60W) TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1450-1584	2006-2015	FXDCI Super Glide Custom	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1450-1584	2006-2011	FXST/I Softail Standard	FS2	MH90-21 56V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1450-1584-1690	2005-2016	FLSTN/I Softail Deluxe / EFI	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1450-1584-1690	2003-2015	FLSTC/I Heritage Classic / EFI	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1450-1584-1690	2003-2015	FLSTC/I Heritage Classic / EFI	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1450-1584-1801	2006-2017	FXDI/I Super Glide	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1450-1585-1801	2006-2011	FXDLI Low Rider	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584-1690	2017	FLSTN Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2017	FLSTN Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1584-1690	2017	FLSTN Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2017	FLSTN Softail Deluxe	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1584-1690	2012-2016	FLS / FLS103 Softail Slim	FS2	MT90B16 74H TL	Cobra Chrome AV91	140/90B16 77H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2012-2016	FLS / FLS103 Softail Slim	FS2	MT90B16 74H TL	Cobra Chrome WW AV91	140/90B16 77H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1584-1690	2006-2016	FLSTF/B Fat Boy / Lo / S / Special	FS2	140/75R17 67V TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2010-2013	FLTRX/FLTRX103 Road Glide Custom	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHRC Road King Classic	FL2	MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHRC Road King Classic	FL2	MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHRC Road King Classic	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
HARLEY DAVIDSON									
1584-1690	2009-2013	FLHRC Road King Classic	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHTC / FLHTC103 Electra Glide Classic	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHTC / FLHTC103 Electra Glide Classic	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHX/FLHX103 Street Glide	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2009-2013	FLHX/FLHX103 Street Glide	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2011-2012	FLHRC103 Road King Classic	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2011-2012	FLHRC103 Road King Classic	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2008-2011	FLSTS8 Cross Bones	FS2	MT90B16 74H TL	Cobra Chrome AV91	200/55VR17 (78V) TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690	2009-	FLHTCU / FLHTU103 Ultra Classic Electra Glide	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1584-1690-1801	2008-2017	FXDF Fat Bob	FD2	MT90B16 74H TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584-1690-1801	2008-2017	FXDF Fat Bob	FD2	MT90B16 74H TL	Cobra Chrome WW AV91	180/70R16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
1584-1690-1801	2006-2016	FXDB-I / FXDB103 Street Bob	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1584-1691	2012-2016	FLD / FLD103 Switchback	FD2	130/70B18 69H TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1585-1690-1801	2010-2016	FXDWG Wide Glide	FD2	MH90-21 56V TL	Cobra Chrome AV91	180/60B17 81V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1690-1745	2011-2016	FLTRU/FLTRU103 Road Glide Ultra	FL2	130/80B17 65H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690-1745	2011-2016	FLTRU/FLTRU103 Road Glide Ultra	FL2	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1690-1801	2014-2016	FXDL103 / FXDLS Low Rider / S	FD2	100/90-19 57V TL	Cobra Chrome AV91	160/70B17 79V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
HONDA									
50	-2012	NSC 50 WH Vision / NSC 50 MPD Vision	AF72	80/90-14 40S TL	Viper Stryke AM63	90/90-14 46S TL	Viper Stryke AM63	2.00 / 29	2.25 / 33
110	2011-	NSC 110 WH Vision / NSC 110 MPD Vision	JF31	80/90-14 40S TL	Viper Stryke AM63	90/90-14 46S TL	Viper Stryke AM63	2.00 / 29	2.25 / 33
125	2018-	C 125 A ; Super CUB 125	JA48	2.50-17 43S TL	Streetrunner AV83	2.75-17 47S TL	Streetrunner AV83	2.00 / 29	2.30 / 33
125	2018-	CBF 125 NA - CBF 125 R	JC79	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
125	2018-	CBF 125 NA - CBF 125 R	JC79	110/70ZR17 (54W) TL	Storm 3D X-M AV65	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
125	2018-	CBF 125 NA - CBF 125 R	JC79	110/70V17 (54V) TL	Roadrider AM26	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
125	2017-	CB 125 F - GLR 125	JC74	90/90-18 51S TL	Streetrunner AV83	90/90-18 51S TL	Streetrunner AV83	1.75 / 25	2.25 / 33
125	2017-	CB 125 F - GLR 125	JC74	90/90-18 51S TL	Streetrunner AV83	100/90-18 56V TL	Roadrider AM26	1.75 / 25	2.25 / 33
125	2017-	MSX 125 A	JC75	120/70-12 58P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	2.00 / 29	2.00 / 29
125	2017-	NSS 125 AD / Forza 125	JF69	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.00 / 29	2.25 / 33
125	2017-	SH 125 D - SH 125 AD	JF68	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	1.75 / 25	2.25 / 33
125	2016-	CB 125 F - GLR 125	JC64-JC74	2.75-18 48S TL	Streetrunner AV83	90/90-18 51S TL	Streetrunner AV83	1.75 / 26	2.25 / 34
125	2016-	PCX - WW 125 EX2	JF64	90/90-14 46S TL	Viper Stryke AM63	100/90-14 57S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
125	2016-	WW 125 EX2	JF64	90/90-14 46S TL	Viper Stryke AM63	100/90-14 57S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
125	2014-2016	ANC 125 (SH Mode)	JF51	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	-	-
125	2014-2016	CB 125 F - GLR 125	JC64	90/90-18 51S TL	Streetrunner AV83	90/90-18 51S TL	Streetrunner AV83	1.75 / 25	2.25 / 33
125	2014-2016	CB 125 F - GLR 125	JC64	90/90-18 51S TL	Streetrunner AV83	100/90-18 56V TL	Roadrider AM26	1.75 / 25	2.25 / 33
125	-2016	PCX 125 WW125EX2	JF67	90/90-14 46S TL	Viper Stryke AM63	100/90-14 57S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
125	2015-	NSS 125 AD / Forza 125	JF60	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.00 / 29	2.30 / 33
125	2014-	WW 125 EX2 / PCX 125	JF57	90/90-14 46S TL	Viper Stryke AM63	100/90-14 57S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
125	2013-	MSX 125 / Grom	JC61	120/70-12 58P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	2.00 / 29	2.00 / 29
125	2013-	SH 125 A (SH125) / SH 125 AD	JF41	100/80-16 60P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	1.75 / 25	2.25 / 33
125	2013-	WW 125 (PCX)	JF47	90/90-14 46S TL	Viper Stryke AM63	100/90-14 57S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
125	2012-	AFS 110 - 2 SH - CSR - Wave 110 i	JC51	2.50-17 43S TL	Streetrunner AV83	2.75-17 47S TL	Streetrunner AV83	2.00 / 29	2.25 / 33
125	2011-	CBR 125 R	JC50	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	1.75 / 25	2.25 / 33
125	2011-	CBR 125 R	JC50	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	1.75 / 25	2.25 / 33
125	2010-	WW 125 EX2 (PCX)	JF28	90/90-14 46S TL	Viper Stryke AM63	100/90-14 57S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
125	2004-2010	CBR 125 R	JC34-JC39	100/80-17 52V TL	Roadrider AM26	120/80-17 61V TL	Roadrider AM26	2.50 / 36	2.50 / 36
125	2004-2010	CBR 125 R	JC34-JC39	100/80-17 52V TL	Roadrider AM26	110/70V17 (54V) TL	Roadrider AM26	2.50 / 36	2.50 / 36
125	2004-2010	CBR 125 R	JC34-JC39	2.75-17 47S TL	Streetrunner AV83	100/80-17 52S TL	Streetrunner AV83	2.50 / 36	2.50 / 36
125	2009-	CBF 125 - CBF 125 M	JC39-JC40	80/100-17 53S TL	Streetrunner AV83	100/90-17 55S TL	Streetrunner AV83	1.75 / 25	2.25 / 33
125	2009-	CBF 125 - CBF 125 M	JC39-JC40	100/80-17 52V TL	Roadrider AM26	120/80-17 61V TL	Roadrider AM26	1.75 / 25	2.25 / 33
125	2009-	CBF 125 - CBF 125 M	JC39-JC40	100/80-17 52V TL	Roadrider AM26	110/70V17 (54V) TL	Roadrider AM26	1.75 / 25	2.25 / 33
125	2009-	SH 125 (i) (RR Drum Brake)	JF23	100/80-16 60P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	1.75 / 25	2.25 / 33
125	2009-	XL 125 V - Varadero 125	JC49	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.00 / 29	2.30 / 33
125	2007-	S-Wing	JF12	110/90-13 56P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.80 / 26	2.00 / 29
125	2006-	PS 125i / PES 125	JF17	110/90-13 56P TL	Viper Stryke AM63	130/70-13 63P TL	Viper Stryke AM63	1.80 / 26	2.10 / 30
150	2013-	SH150AD (idle stop)	KF13-KF23	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	1.75 / 25	2.25 / 33
250	2017-	CFR 250 LA	MD44	90/90-21 54V TL	Trailrider M+S AV53	120/80-18 62S TL	Trailrider M+S AV54	1.50 / 22	1.50 / 22
250	2017-	CFR 250 RA	MD44	90/90-21 54V TL	Trailrider M+S AV53	120/80-18 62S TL	Trailrider M+S AV54	1.50 / 22	1.75 / 25
250	2017-	CFR 250 LA	MD44	90/90-21 54P TL	Trailrider M+S AV53	120/80-18 62S TL	Trailrider M+S AV54	1.50 / 22	1.50 / 22
250	2017-	CRF 250 RA	MD44	90/90-21 54V TL	Trailrider M+S AV53	120/80-18 62S TL	Trailrider M+S AV54	1.50 / 22	1.75 / 25
250	2017-	CRF 250 Rallye	MD44	90/90-21 54V TL	Trailrider M+S AV53	120/80-18 62S TL	Trailrider M+S AV54	1.50 / 22	1.75 / 25
250	2014-	CRF 250 M	MD38	110/70V17 (54V) TL	Roadrider AM26	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.00 / 29
250	2012-2013	CRF 250 L	MD38	90/90-21 54V TL	Trailrider M+S AV53	120/80-18 62S TL	Trailrider M+S AV54	1.50 / 22	1.50 / 22

cc	Year	Model	Type	Front size Range		Rear size	Range	Front pressure	Rear Pressure
250	2009-	VTR 250		110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.30 / 33
250	-2009	Jazz 250		110/90-13 56P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.80 / 26	2.20 / 32
250	-2009	PS 250 Big Ruckus		110/90-12 64P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	-	-
250	-2009	Reflex 250		110/90-13 56P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.80 / 26	2.10 / 30
286	2018-	CB 300 R (CBF 300 NA)	NC55	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
286	2018-	CB 300 R (CBF 300 NA)	NC55	110/70ZR17 (54W) TL	Storm 3D X-M AV65	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
286	2018-	CB 300 R (CBF 300 NA)	NC55	110/70V17 (54V) TL	Roadrider AM26	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
300	2018-	CBF 300 NA - CB 300 R	NC55	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
300	2018-	CBF 300 NA - CB 300 R	NC55	110/70ZR17 (54W) TL	Storm 3D X-M AV65	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
300	2014-	CBR 300 R / RA	NC51	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.25 / 33
500	2017-2018	CBR 500 R	PC57	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
500	2017-2018	CBR 500 R	PC57	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
500	2017-2018	CBR 500 R	PC57	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
500	2017-2018	CBR 500 R	PC57	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	PC58	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	PC58	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	PC58	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
500	2017-	CB 500 F	PC58	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
500	2017-	CB 500 XA	PC59	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
500	2017-	CB 500 XA	PC59	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
500	2017-	CB 500 XA	PC59	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
500	2017-	CB 500 XA	PC59	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
500	2017-	CMX 500 A - Rebel	PC56	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.00 / 29	2.00 / 29
500	2017-	CMX 500 A - Rebel	PC56	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.00 / 29	2.00 / 29
500	2013-2016	CB 500 F	PC45	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
500	2013-2016	CB 500 F	PC45	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
500	2013-2016	CB 500 F	PC45	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
500	2013-2016	CB 500 F	PC45	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	PC44	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	PC44	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	PC44	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
500	2013-2016	CBR 500 R	PC44	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	PC46	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	PC46	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	PC46	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
500	2013-	CB 500 X	PC46	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
600	2013-	CBR 600 RR	PC40	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2013-	CBR 600 RR	PC40	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2013-	CBR 600 RR	PC40	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2011-2013	CBR 600 RR	PC40	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2011-2013	CBR 600 RR	PC40	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2011-2013	CBR 600 RR	PC40	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2011-	CBR 600 F	PC41	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2011-	CBR 600 F	PC41	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2011-	CBR 600 F	PC41	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2011-	SW-T 600	NF03	120/80-14 58S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.30 / 33	2.50 / 36
600	2009-2011	CBR 600 RR - CBR 600 RA ABS	PC40	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2009-2011	CBR 600 RR - CBR 600 RA ABS	PC40	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2009-2011	CBR 600 RR - CBR 600 RA ABS	PC40	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	PC41	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	PC41	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	PC41	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2007-2011	Hornet 600 - ABS	PC41	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
600	2008-	CBF 600 - ABS	PC43	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2008-	CBF 600 - ABS	PC43	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2008-	CBF 600 - ABS	PC43	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2008-	CBF 600 - ABS	PC43	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
650	2017-	CB 650 FA	RC97	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
650	2017-	CB 650 FA	RC97	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
650	2017-	CB 650 FA	RC97	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
650	2017-	CB 650 FA	RC97	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	RC96	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	RC96	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
650	2017-	CBR 650 FA	RC96	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
650	2014-2016	CB 650 FA	RC75	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
650	2014-2016	CB 650 FA	RC75	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
650	2014-2016	CB 650 FA	RC75	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
650	2014-2016	CB 650 FA	RC75	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
650	2014-2016	CBR 650 FA	RC74	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
650	2014-2016	CBR 650 FA	RC74	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
650	2014-2016	CBR 650 FA	RC74	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
680	2008-	DN-01	RC55	130/70-17 62V TL	Roadrider AM26	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
680	2008-	DN-01	RC55	130/70-17 62V TL	Roadrider AM26	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	RC69	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	RC69	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	RC69	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
700	2014-	CTX 700 A - D	RC69	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
700	2014-	CTX 700 N - ND	RC68	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42

For the most up to date information please check our website at **www.avontyres.com**

HONDA

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
HONDA									
1300	2010-2012	VT 1300 CR - CRA Stataline- Interstate		140/80V17 (69V) TL	Roadrider AM26	170/80B15 83H TL	Cobra Chrome AV92	2.30 / 33	2.80 / 41
1800	2014-2017	GL 1800 C - F 6 C	SC68	130/60B19 61H TL	Cobra AV71	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.80 / 41
1800	2014-2017	GL 1800 C - F 6 C	SC68	130/60B19 61V TL	Cobra Chrome AV91	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.80 / 41
1800	2014-2017	GL 1800 C - F 6 C	SC68	130/60B19 61H TL	Cobra AV71	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.80 / 41
1800	2014-2017	GL 1800 C - F 6 C	SC68	130/60B19 61V TL	Cobra Chrome AV91	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.80 / 41
1800	2015-	Gold Wing - F 6 B	SC68	130/70R18 63H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.85 / 41	2.90 / 42
1800	2012-2014	GL 1800 Gold Wing	SC68	130/70R18 63H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.85 / 41	2.90 / 42
1800	2001-2012	GL 1800 Gold Wing	SC47	130/70R18 63H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.85 / 41	2.90 / 42
INDIAN									
999	2016-	Scout Sixty		MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
999	2016-	Scout Sixty		MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
1130	2017-	Scout Bobber		MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1130	2017-	Scout Bobber		MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.90 / 42
1130	2015-	Scout	M-S-A	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1130	2015-	Scout	M-S-A	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.90 / 42
1811	2018-	Chief Classic		MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1811	2018-	Chief Classic		MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1811	2018-	Chief Dark Horse		MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1811	2018-	Chief Dark Horse		MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1811	2018-	Chieftain		130/60B19 61V TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.60 / 38	2.90 / 42
1811	2018-	Chieftain Classic		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.60 / 38	2.90 / 42
1811	2018-	Chieftain Dark Horse		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.60 / 38	2.90 / 42
1811	2018-	Chieftain Limited		130/60B19 61V TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.60 / 38	2.90 / 42
1811	2018-	Roadmaster		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1811	2018-	Roadmaster Classic		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1811	2018-	Roadmaster Elite		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1811	2018-	Springfield - Dark Horse		MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1811	2018-	Springfield - Dark Horse		MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1811	2016-2017	Springfield - Dark Horse		MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1811	2016-2017	Springfield - Dark Horse		MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1811	2015-2017	Chief Dark Horse	C	MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1811	2015-2017	Chief Dark Horse	C	MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1811	2015-2017	Chieftain Dark Horse		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.60 / 38	2.90 / 42
1811	2015-2017	Chieftain Limited		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.60 / 38	2.90 / 42
1811	2015-2017	Roadmaster	T	MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1811	2015-2017	Roadmaster Classic		MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1811	2013-2017	Chief Classic	C	MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1811	2013-2017	Chief Classic	C	MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1811	2013-	Chief Vintage	C	MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
1811	2013-	Chief Vintage	C	MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
1811	2013-	Chieftain	T-C-A	MT90B16 74H TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	2.60 / 38	2.90 / 42
KAWASAKI									
125	2016-	J 125 - J 125 SE	J6	120/80-14 58S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.10 / 30	2.50 / 36
250	2014-	Ninja 250 SL		100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.50 / 36
250	2014-	Z 250 SL		100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.50 / 36
250	2014-	Z 250 SL		100/80-17 52S TL	Streetworker AV83	130/70-17 62S TL	Streetworker AV83	2.00 / 29	2.50 / 36
250	2006-2013	Ninja 250 R	EX250K	110/70V17 (54V) TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.50 / 36
250	2012-	KLX 250 SF		110/70V17 (54V) TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	1.80 / 26	2.00 / 29
250	2008-	EX 250 J		110/70V17 (54V) TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.20 / 32
300	2018-	J 300 ab 2018	C4	120/80-14 58S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.10 / 30	2.50 / 36
300	2017-	Versys-X 300	LE300C	100/90-19 57V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.00 / 29	2.25 / 33
300	2017-	Versys-X 300	LE300C	100/90-19 57H TL	Trailrider M+S AV53	130/80-17 65H TL	Trailrider M+S AV54	2.00 / 29	2.25 / 33
300	2013-2017	J 300 ab 2013	C4	120/80-14 58S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.10 / 30	2.50 / 36
300	2015-	Z 300	ER300A	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.25 / 33
300	2012-	Ninja 300	EX300A	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.25 / 33
400	2017-2018	Ninja 400	EX400G	110/70ZR17 (54W) TL	Spirit ST AV75	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
400	2017-2018	Ninja 400	EX400G	110/70ZR17 (54W) TL	Storm 3D X-M AV65	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
400	2017-2018	Ninja 400	EX400G	110/70V17 (54V) TL	Roadrider AM26	150/60ZR17 (66W) TL	3D Ultra SP AV80	2.00 / 29	2.25 / 33
500	2007-	500 R Ninja		110/70V17 (54V) TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.30 / 33	2.50 / 36
600	2009-2012	Ninja ZX-6R	ZX600R	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2009-2012	Ninja ZX-6R	ZX600R	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2009-2012	Ninja ZX-6R	ZX600R	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
636	2013-2018	Ninja ZX-6R 636	ZX636E	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
636	2013-2018	Ninja ZX-6R 636	ZX636E	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
636	2013-2018	Ninja ZX-6R 636	ZX636E	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
649	2017-2018	Z 650 ABS	ER650H	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
649	2017-2018	Z 650 ABS	ER650H	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
649	2017-2018	Z 650 ABS	ER650H	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
649	2017-2018	Z 650 ABS	ER650H	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.25 / 33	2.50 / 36
650	2018-	Vulcan S - Cafe - Sport - Light Tourer	EN650D	120/70ZR18 (59W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2018-	Vulcan S - Cafe - Sport - Light Tourer	EN650D	120/70ZR18 (59W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2017-2018	Ninja 650 ABS	EX650K	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2017-2018	Ninja 650 ABS	EX650K	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2017-2018	Ninja 650 ABS	EX650K	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
650	2015-2018	Versys 650 - Tourer - Grand Tourer	LE650E-Ausf- E+F	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2015-2018	Versys 650 - Tourer - Grand Tourer	LE650E-Ausf- E+F	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.25 / 33	2.50 / 36
650	2017-	Vulcan S - Vulcan S Cafe	EN650D	120/70ZR18 (59W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
650	2017-	Vulcan S - Vulcan S Cafe	EN650D	120/70ZR18 (59W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2015-2016	Vulcan S	EN650A	120/70ZR18 (59W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2015-2016	Vulcan S	EN650A	120/70ZR18 (59W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2010-2015	Versys	LE650C-Ausf-C	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2010-2015	Versys	LE650C-Ausf-C	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2010-2015	Versys	LE650C-Ausf-C	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.25 / 33	2.50 / 36
650	2010-2015	Versys	LE650C-Ausf-C	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	LE650C-Ausf-D	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	LE650C-Ausf-D	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	LE650C-Ausf-D	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.25 / 33	2.50 / 36
650	2010-2015	Versys ABS	LE650C-Ausf-D	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	EX650E	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	EX650E	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	EX650E	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
650	2012-	ER-6F - ER-6F ABS	EX650E	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	ER650E	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	ER650E	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	ER650E	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
650	2012-	ER-6N - ER-6N ABS	ER650E	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
650	2009-2012	ER-6F - ER-6F ABS	EX650C-Ausf-C+D	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
650	2009-2012	ER-6F - ER-6F ABS	EX650C-Ausf-C+D	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
650	2009-2012	ER-6F - ER-6F ABS	EX650C-Ausf-C+D	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
650	2009-2012	ER-6F - ER-6F ABS	EX650C-Ausf-C+D	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	ER650C Ausf.C+D	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	ER650C Ausf.C+D	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	ER650C Ausf.C+D	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
650	2009-2012	ER-6N - ER-6N ABS	ER650C Ausf.C+D	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
650	2006-2010	Versys	LE650A	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2006-2010	Versys	LE650A	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2006-2010	Versys	LE650A	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.25 / 33	2.50 / 36
650	2006-2010	Versys	LE650A	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	EX650A-Ausf-A+B	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.30 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	EX650A-Ausf-A+B	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.30 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	EX650A-Ausf-A+B	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
650	2006-2009	ER-6F - ER-6F ABS	EX650A-Ausf-A+B	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	ER650A Ausf.A+B	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	ER650A Ausf.A+B	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	ER650A Ausf.A+B	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.30 / 33	2.50 / 36
650	2006-2009	ER-6N - ER-6N ABS	ER650A Ausf.A+B	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.30 / 33	2.50 / 36
750	2011-	Z 750 R	ZR750N	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2011-	Z 750 R	ZR750N	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
750	2011-	Z 750 R	ZR750N	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
750	2011-	Z 750 R	ZR750N	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
750	2007-	Z 750 - Z 750 ABS	ZR750LAusf-L+M	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2007-	Z 750 - Z 750 ABS	ZR750LAusf-L+M	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
750	2007-	Z 750 - Z 750 ABS	ZR750LAusf-L+M	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
750	2007-	Z 750 - Z 750 ABS	ZR750LAusf-L+M	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2013-2016	Z 800	ZR800A-ZR800E	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2013-2016	Z 800	ZR800A-ZR800E	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2013-2016	Z 800	ZR800A-ZR800E	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
800	2013-2016	Z 800	ZR800A-ZR800E	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	ZR800C-ZR800F	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	ZR800C-ZR800F	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	ZR800C-ZR800F	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
800	2013-2016	Z 800e	ZR800C-ZR800F	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2011-	W 800	EJ800A	100/90-19 57V TL	Roadrider AM26	130/80V18 (66V) TL	Roadrider AM26	2.00 / 29	2.25 / 33
900	2018-	Z 900 RS - Cafe	ZR900C	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
900	2018-	Z 900 RS - Cafe	ZR900C	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
900	2018-	Z 900 RS - Cafe	ZR900C	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
900	2018-	Z 900 RS - Cafe	ZR900C	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
900	2017-2018	Z 900 ABS	ZR900B	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
900	2017-2018	Z 900 ABS	ZR900B	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
900	2017-2018	Z 900 ABS	ZR900B	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
900	2017-2018	Z 900 ABS	ZR900B	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
900	2011-	VN 900 Classic Light Tourer	VN900B	MT90B16 74H TL	Cobra Chrome AV91	180/70B15 76H TL	Cobra Chrome AV92	2.25 / 33	2.80 / 41
1000	2018-	Ninja H2	ZXT00X	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2018-	Ninja H2 SX	ZXT02A	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2018-	Ninja ZX-10R SE	ZXT02C	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2018-	Ninja ZX-10R SE	ZXT02C	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2018-	Ninja ZX-10R SE	ZXT02C	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2017-2018	Z 1000 SX	ZXT00W	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2017-2018	Z 1000 SX	ZXT00W	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2017-2018	Z 1000 SX	ZXT00W	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2016-2018	Ninja ZX-10R - RR	ZXT00S	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2016-2018	Ninja ZX-10R - RR	ZXT00S	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2016-2018	Ninja ZX-10R - RR	ZXT00S	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2015-2018	Versys 1000 - Grand Tourer - Tourer	LZT00B	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015-2018	Versys 1000 - Grand Tourer - Tourer	LZT00B	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42

For the most up to date information please check our website at **www.avontyres.com**

Storm 3D X-M and Cobra not available in North America

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
KTM									
990	2009-2010	990 SM T		LC8-SM	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35 2.60 / 38
990	2009-2010	990 SM T		LC8-SM	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35 2.60 / 38
990	2009-2010	990 SM T		LC8-SM	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.40 / 35 2.60 / 38
1050	2015-2016	1050 Adventure		C1-C2	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1050	2015-2016	1050 Adventure		C1-C2	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.40 / 35 2.90 / 42
1050	2015-2016	1050 Adventure		C1-C2	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.40 / 35 2.90 / 42
1050	2015-2016	1050 Adventure		C1-C2	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.40 / 35 2.90 / 42
1090	2017-	1090 Adventure; L		A1	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1090	2017-	1090 Adventure; L		A1	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.40 / 35 2.90 / 42
1090	2017-	1090 Adventure; L		A1	110/80-19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.40 / 35 2.90 / 42
1090	2017-	1090 Adventure; L		A1	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.40 / 35 2.90 / 42
1090	2017-	1090 Adventure R		A2	90/90-21 54V TL	Trailrider M+S AV53	150/70R18 70V TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1190	2013-2017	1190 Adventure R - ABS		B1-B2	90/90-21 54V TL	Trailrider M+S AV53	150/70R18 70V TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1190	2013-2016	1190 Adventure - ABS		A1-A2	120/70ZR19 (60W) TL	Cobra AV71	170/60ZR17 (72W) TL	Storm 3D X-M AV66	2.40 / 35 2.90 / 42
1190	2013-2016	1190 Adventure - ABS		A1-A2	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.40 / 35 2.90 / 42
1190	2013-2016	1190 Adventure - ABS		A1-A2	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1190	2009-2014	1190 RC 8 R		RC8	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
1190	2009-2014	1190 RC 8 R		RC8	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
1190	2009-2014	1190 RC 8 R		RC8	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
1190	2008-2010	1190 RC 8		RC8	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
1190	2008-2010	1190 RC 8		RC8	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
1190	2008-2010	1190 RC 8		RC8	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
1190	2008-	1190 RC8 R Track		11	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.40 / 35 2.60 / 38
1190	2008-	1190 RC8 R Track		11	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.40 / 35 2.60 / 38
1190	2008-	1190 RC8 R Track		11	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.40 / 35 2.60 / 38
1290	2018-	1290 Super Adventure R	Adventure		90/90-21 54V TL	Trailrider M+S AV53	150/70R18 70V TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1290	2018-	1290 Superduke GT			120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
1290	2018-	1290 Superduke GT			120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
1290	2018-	1290 Superduke GT			120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
1290	2018-	1290 Superduke R	Adventure		120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.50 / 36
1290	2018-	1290 Superduke R	Adventure		120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.50 / 36
1290	2018-	1290 Superduke R	Adventure		120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.50 / 36
1290	2017-	1290 Super Adventure S	Adventure		120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.40 / 35 2.90 / 42
1290	2017-	1290 Super Adventure S	Adventure		120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1290	2017-	1290 Super Adventure T	Adventure		120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.40 / 35 2.90 / 42
1290	2017-	1290 Super Adventure T	Adventure		120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1290	2017-	1290 Superduke R	Adventure		120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
1290	2017-	1290 Superduke R	Adventure		120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
1290	2017-	1290 Superduke R	Adventure		120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
1290	2017-	1290 Superduke GT		A2	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
1290	2017-	1290 Superduke GT		A2	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
1290	2017-	1290 Superduke GT		A2	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
1290	2016-2017	1290 Superduke GT		A1	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
1290	2016-2017	1290 Superduke GT		A1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
1290	2016-2017	1290 Superduke GT		A1	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
1290	2017	1290 Super Adventure R	Adventure		90/90-21 54V TL	Trailrider M+S AV53	150/70R18 70V TL	Trailrider M+S AV54	2.40 / 35 2.90 / 42
1290	2015-2016	1290 Super Adventure		D1-D2	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.40 / 35 2.60 / 38
1290	2015-2016	1290 Super Adventure		D1-D2	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.40 / 35 2.60 / 38
1290	2014-2016	1290 Superduke R - GT - SE - ABS		A2-B2-LC8	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
1290	2014-2016	1290 Superduke R - GT - SE - ABS		A2-B2-LC8	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
1290	2014-2016	1290 Superduke R - GT - SE - ABS		A2-B2-LC8	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
MOTO GUZZI									
744	2016-	V 7 II Stornello		LW	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2016-	V 7 III - Special		LD	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2016-	V 7 III - Stone - Milano - Carbon			100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2016-	V 7 III - Special - Rough			100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2015-	V 7 II		LW	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2015-	V 7 II Special		LW	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2015-	V 7 II Stone		LW	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2009-	V 7 Cafe Classic 2		LW	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2008-	V 7 Classic		LW	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
744	2008-	V 7 III Racer		LW	100/90-18 56V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.20 / 32 2.50 / 36
850	2010-	850 Norge GT 8V ABS		LP	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
850	2010-	850 Norge GT 8V ABS		LP	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
850	2010-	850 Norge GT 8V ABS		LP	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
850	2007-	Griso 850		LS	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36 2.90 / 42
850	2007-	Griso 850		LS	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36 2.90 / 42
850	2007-	Griso 850		LS	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36 2.90 / 42
850	2007-	Griso 850		LS	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36 2.90 / 42
853	2016-	V 9 Roamer		LH	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.40 / 35 2.60 / 38
853	2016-	V 9 Roamer		LH	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.40 / 35 2.60 / 38
853	2016-	V 9 Bobber		LH	MT90B16 74H TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.40 / 35 2.60 / 38
853	2016-	V 9 Bobber		LH	MT90B16 74H TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.40 / 35 2.60 / 38
935	2007-2014	Bellagio		LY	120/70ZR18 (59W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36 2.70 / 39
935	2007-2014	Bellagio		LY	120/70ZR18 (59W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36 2.70 / 39
1000	2007-	California Classic		KD	110/90V18 (61V) TL	Roadrider AM26	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36 2.80 / 41
1000	2007-	California Classic		KD	110/90V18 (61V) TL	Roadrider AM26	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36 2.80 / 41

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
1000	2007-	California Classic	KD	110/90V18 (61 V) TL	Roadrider AM26	150/70V17 (69V) TL	Roadrider AM26	2.50 / 36	2.80 / 41
1151	2015-	1200 Sport 8V	LP	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1151	2015-	1200 Sport 8V	LP	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1151	2015-	1200 Sport 8V	LP	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1151	2005-2014	1200 Sport 4V - 1200 Sport ABS	LP	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1151	2005-2014	1200 Sport 4V - 1200 Sport ABS	LP	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1151	2005-2014	1200 Sport 4V - 1200 Sport ABS	LP	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1151	2011-	Stelvio 1200 8V NTX - ABS	LZ-Vers-B	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.80 / 41
1151	2011-	Stelvio 1200 8V NTX - ABS	LZ-Vers-B	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.80 / 41
1151	2011-	Stelvio 1200 8V NTX - ABS	LZ-Vers-B	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.80 / 41
1151	2011-	Stelvio 1200 8V NTX - ABS	LZ-Vers-B	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.80 / 41
1151	2007-2011	Breva 1200	LP	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1151	2007-2011	Breva 1200	LP	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1151	2007-2011	Breva 1200	LP	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1151	2008-	Griso 1200 8V	LS	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1151	2008-	Griso 1200 8V	LS	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1151	2008-	Griso 1200 8V	LS	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1151	2008-	Griso 1200 8V	LS	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1151	2008-	Stelvio 1200 4V	LZ	110/80R19 59V TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1151	2008-	Stelvio 1200 4V	LZ	110/80R19 59V TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1151	2008-	Stelvio 1200 4V	LZ	110/80R19 59V TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2008-	Norge 1200 GT V8 ABS	LP	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2008-	Norge 1200 GT V8 ABS	LP	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2008-	Norge 1200 GT V8 ABS	LP	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1200	2006-	Norge 1200	LP	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2006-	Norge 1200	LP	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2006-	Norge 1200	LP	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1380	2017-	Eldorado	LV	MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	-	-
1380	2017-	Eldorado	LV	MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	-	-
1380	2017-	MGX 21 Flying Fortress	LC	120/70-21 68V TL	Cobra Chrome AV91	180/60R16 80H TL	Cobra Chrome AV92	-	-
1380	2016-	MGX 21	LC	120/70-21 68V TL	Cobra Chrome AV91	200/60VR16 (79V) TL	Cobra Chrome AV92	-	-
1380	2015-2016	Eldorado	LV	MT90B16 74H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	-	-
1380	2015-2016	Eldorado	LV	MT90B16 74H TL	Cobra Chrome WW AV91	180/65B16 81H TL	Cobra Chrome WW AV92	-	-
1380	2013-	California 1400 Custom	LV	130/70R18 63H TL	Cobra Chrome AV91	200/60VR16 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1380	2013-	California 1400 Touring	LV	130/70R18 63H TL	Cobra Chrome AV91	200/60VR16 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
MV AGUSTA									
675	2016-	Brutale 675	B1	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
675	2016-	Brutale 675	B1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
675	2016-	Brutale 675	B1	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
675	2012-2015	Brutale 675	B3	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
675	2012-2015	Brutale 675	B3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
675	2012-2015	Brutale 675	B3	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
675	2012-2014	F3 675 - F3 675 Oro - RC	F3 Vers. AA-AB	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.30 / 33
675	2012-2014	F3 675 - F3 675 Oro - RC	F3 Vers. AA-AB	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.30 / 33
675	2012-2014	F3 675 - F3 675 Oro - RC	F3 Vers. AA-AB	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.30 / 33
798	2015-	Brutale 800 Dragster / RR	B3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	200/50ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
798	2015-	Brutale 800 Dragster / RR	B3	120/70ZR17 (58W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
798	2015-	Brutale 800 Dragster / RR	B3	120/70ZR17 (58W) TL	3D Ultra SP AV79	200/50ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
798	2015-	Turismo Veloce 800 - Lusso RC - Lusso	T3	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.60 / 38	2.90 / 42
798	2015-	Turismo Veloce 800 - Lusso RC - Lusso	T3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.60 / 38	2.90 / 42
798	2015-	Turismo Veloce 800 - Lusso RC - Lusso	T3	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.60 / 38	2.90 / 42
798	2014-	F3 800 - RC	F3	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.30 / 33
798	2014-	F3 800 - RC	F3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.30 / 33
798	2014-	F3 800 - RC	F3	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.30 / 33
798	2014-	Rivale 800 - ABS	S3	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.30 / 33
798	2014-	Rivale 800 - ABS	S3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.30 / 33
798	2014-	Rivale 800 - ABS	S3	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.30 / 33
800	2017-	Brutale 800 - RR - RR Pirelli - RC	B1	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
800	2017-	Brutale 800 - RR - RR Pirelli - RC	B1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
800	2017-	Brutale 800 - RR - RR Pirelli - RC	B1	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
800	2016-	Brutale 800	B1	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
800	2016-	Brutale 800	B1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
800	2016-	Brutale 800	B1	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
800	2015-	Brutale 800 RR	B3	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
800	2015-	Brutale 800 RR	B3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
800	2015-	Brutale 800 RR	B3	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
800	2015-	Stradale 800	S3	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.30 / 33	2.30 / 33
800	2015-	Stradale 800	S3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.30 / 33	2.30 / 33
800	2015-	Stradale 800	S3	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.30 / 33	2.30 / 33
800	2013-2015	Brutale 800	B3	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
800	2013-2015	Brutale 800	B3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
800	2013-2015	Brutale 800	B3	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
910	2005-2011	Brutale 910S - 910R	F4	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
910	2005-2011	Brutale 910S - 910R	F4	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
910	2005-2011	Brutale 910S - 910R	F4	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
920	2011-	Brutale 920	B5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
920	2011-	Brutale 920	B5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
920	2011-	Brutale 920	B5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
MV AGUSTA									
989	2008-	Brutale 989 R	F4	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
989	2008-	Brutale 989 R	F4	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
989	2008-	Brutale 989 R	F4	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
990	2010-	Brutale 990 R	F4	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
990	2010-	Brutale 990 R	F4	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
990	2010-	Brutale 990 R	F4	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
998	2007-2014	F4 1000 CC Typ CB	F5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
998	2007-2014	F4 1000 CC Typ CB	F5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
998	2007-2014	F4 1000 CC Typ CB	F5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
998	2010-	F4 1000 R	F6 Vers. AA	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
998	2010-	F4 1000 R	F6 Vers. AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
998	2010-	F4 1000 R	F6 Vers. AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
998	2010-	F4 1000 R	F6 Vers. AA	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2015-	F4		120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2014-	F4 RR / F4 R 2014		120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	-	-
1000	2013-	F4 - R - RR - RC	F6 Vers. AA	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2011-	F4 - F4 RC - F4 RR	F6 Vers. AA	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2011-	F4 - F4 RC - F4 RR	F6 Vers. AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1000	2011-	F4 - F4 RC - F4 RR	F6 Vers. AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
1000	2011-	F4 - F4 RC - F4 RR	F6 Vers. AA	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2008-	F4 Brutale 989 R	Fe Vers. AA	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2008-	F4 Brutale 989 R	Fe Vers. AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1000	2008-	F4 Brutale 989 R	Fe Vers. AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
1000	2007-	F4 1000R312 BA-BB - F4 1000R312 1+1	F5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2007-	F4 1000R312 BA-BB - F4 1000R312 1+1	F5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1000	2007-	F4 1000R312 BA-BB - F4 1000R312 1+1	F5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
1000	2006-	F4 1000 R - F4 1000 Senna	F5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1000	2006-	F4 1000 R - F4 1000 Senna	F5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1000	2006-	F4 1000 R - F4 1000 Senna	F5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
1078	2008-	Brutale 1078 RR	F4-Vers-AA	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1078	2008-	Brutale 1078 RR	F4-Vers-AA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1078	2008-	Brutale 1078 RR	F4-Vers-AA	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
1078	2008-	F4 1078 RR 312 - RR 1+1	F5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1078	2008-	F4 1078 RR 312 - RR 1+1	F5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1078	2008-	F4 1078 RR 312 - RR 1+1	F5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
1090	2013-	Brutale 1090 R - RR	B5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1090	2013-	Brutale 1090 R - RR	B5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1090	2013-	Brutale 1090 R - RR	B5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
1090	2010-2012	Brutale 1090 R - RR	B5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.70 / 39
1090	2010-2012	Brutale 1090 R - RR	B5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.70 / 39
1090	2010-2012	Brutale 1090 R - RR	B5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.70 / 39
NORTON									
961	2017-	961 Cafe Racer		120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
961	2017-	961 Cafe Racer		120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
961	2017-	961 Cafe Racer		120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
961	2017-	961 Cafe Racer		120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
961	2011-	Commando 961 SF -Cafe Racer - Sport	COM01	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
961	2011-	Commando 961 SF - Cafe Racer - Sport	COM01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
961	2011-	Commando 961 SF - Cafe Racer - Sport	COM01	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
961	2011-	Dominator		120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
961	2011-	Dominator		120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
961	2011-	Dominator		120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
ROYAL ENFIELD									
350	2008-2013	350 Thunderbird Twinspark		3.25-19 54S TT	Speedmaster AM6	3.50-19 57S TT	Safety Mileage MKII AM7	1.70 / 25	2.00 / 29
350	2008-2013	350 Thunderbird Twinspark		3.25-19 54S TT	Speedmaster AM6	4.10-19 61H TT	Universal AM9	1.70 / 25	2.00 / 29
350	2008-2013	350 Thunderbird Twinspark		3.25-19 54V TL	Roadrider AM26	100/90-19 57V TL	Roadrider AM26	1.70 / 25	2.00 / 29
350	2008-	350 Bullet Electra / 5S		3.25-19 54S TT	Speedmaster AM6	3.50-19 57S TT	Safety Mileage MKII AM7	1.70 / 25	2.00 / 29
350	2008-	350 Bullet Electra / 5S		3.25-19 54S TT	Speedmaster AM6	4.10-19 61H TT	Universal AM9	1.70 / 25	2.00 / 29
350	2008-	350 Bullet Electra / 5S		3.25-19 54V TL	Roadrider AM26	100/90-19 57V TL	Roadrider AM26	1.70 / 25	2.00 / 29
400	2017-	Himalayan		90/90-21 54V TL	Trailrider M+S AV53	120/90-17 64S TL	Trailrider M+S AV54	-	-
500	2017-	Classic		90/90-19 52V TL	Roadrider AM26	90/90-18 51V TL	Roadrider AM26	-	-
500	-2013	500 Bullet / Machismo / Electra Deluxe		3.25-19 54S TT	Speedmaster AM6	3.50-19 57S TT	Safety Mileage MKII AM7	1.70 / 25	2.00 / 29
500	-2013	500 Bullet / Machismo / Electra Deluxe		3.25-19 54S TT	Speedmaster AM6	4.10-19 61H TT	Universal AM9	1.70 / 25	2.00 / 29
500	-2013	500 Bullet / Machismo / Electra Deluxe		3.25-19 54V TL	Roadrider AM26	100/90-19 57V TL	Roadrider AM26	1.70 / 25	2.00 / 29
500	2009-2012	500 Bullet Classic EFI		90/90-18 51V TL	Roadrider AM26	110/80V18 (58V) TL	Roadrider AM26	1.90 / 28	2.00 / 29
500	2009-2012	500 Bullet Classic EFI		3.25-19 54S TT	Speedmaster AM6	3.50-19 57S TT	Safety Mileage MKII AM7	1.70 / 25	2.00 / 29
500	2009-2012	500 Bullet Classic EFI		3.25-19 54S TT	Speedmaster AM6	4.10-19 61H TT	Universal AM9	1.70 / 25	2.00 / 29
500	2009-2012	500 Bullet Classic EFI		3.25-19 54V TL	Roadrider AM26	100/90-19 57V TL	Roadrider AM26	1.70 / 25	2.00 / 29
500	2009-	Bullet 500 - Classic 500 - Redditch Edition		90/90-19 52V TL	Roadrider AM26	120/80-18 62V TL	Roadrider AM26	1.9 / 28	2.0 / 29
500	2009-	Bullet 500 - Classic 500 - Redditch Edition		90/90-19 52V TL	Roadrider AM26	110/80V18 (58V) TL	Roadrider AM26	1.9 / 28	2.0 / 29
535	2014-	Continental GT		100/90-18 56V TL	Roadrider AM26	130/70V18 (63V) TL	Roadrider AM26	-	-
650	2018-	Interceptor INT 650 - Continental GT 650		100/90-18 56V TL	Roadrider AM26	130/70V18 (63V) TL	Roadrider AM26	-	-
650	2016-	Bullet Classic Efi		90/90-19 52V TL	Roadrider AM26	100/90-19 57V TL	Roadrider AM26	1.90 / 28	2.00 / 29
SUZUKI									
50	2000-2009	AY 50 Katana	WVAA	120/70-12 58P TL	Viper Stryke AM63	130/60-13 60P TL	Viper Stryke AM63	1.25 / 18	1.75 / 25
110	2018-	AH Address 110	UK	80/90-14 46S TL	Viper Stryke AM63	90/90-14 46S TL	Viper Stryke AM63	-	-
110	2018-	UK 110	WDE0	80/90-14 40S TL	Viper Stryke AM63	80/90-14 40S TL	Viper Stryke AM63	2.00 / 25	2.25 / 32

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
125	2018-	AN 125 Burgmann ABS		110/90-13 56P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	2.25 / 33	2.80 / 41
125	2018-	GSX-R 125 A	WDL0	2.75-17 47S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	1.75 / 25	2.00 / 29
125	2017-	GSX-S 125	WDL0	2.75-17 47S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	1.75 / 25	2.00 / 29
125	2010-	FL 125 SDW Address	CM-WVCM	2.50-17 43S TL	Streetrunner AV83	2.75-17 47S TL	Streetrunner AV83	-	-
125	2008-	DR 125 SM	CS	100/80-17 52S TL	Streetrunner AV83	130/70-17 62S TL	Streetrunner AV83	2.00 / 29	2.30 / 33
125	2008-	DR 125 SM	CS	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	2.00 / 29	2.30 / 33
125	2008-	UH 125 A Burgman 125 ABS	C8-WC80	110/90-12 64P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	2.00 / 29	2.80 / 41
125	2008-	UX 125 - Sixteen 125	CN	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	-	-
125	2008-	UX 150 - Sixteen 150	CP	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	-	-
200	2007-	Burgmann 200	CD	110/90-13 56P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	2.00 / 29	2.80 / 41
200	2007-	UH 200 - A Burgman 200	C9-WC90	110/90-13 56P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	2.00 / 29	2.80 / 41
250	2017-	GSX 250 R	WDN0	110/80V17 (57V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.50 / 36	2.50 / 36
250	2017-	DL 250 V-Strom 250	WDS0	110/80V17 (57V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.50 / 36	2.50 / 36
250	2017-	GSX 250 R	WDN0	110/80V17 (57V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	-	-
250	2012-	GW 250-F - Inazuma	DC	110/80V17 (57V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.50 / 36	2.50 / 36
250	2007-	AN 250 Burgman	AN	120/80-14 58S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
400	2018-	AN 400 Burgman 400	WDU0	120/70-15 56S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.00 / 29	2.50 / 36
400	2007-2017	AN 400 A-AZ Burgman 400 ohne-mit ABS	WVCG	120/80-14 58S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	-	-
600	2011-	GSX-R 600	C3	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
600	2011-	GSX-R 600	C3	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
600	2011-	GSX-R 600	C3	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
600	2008-2010	GSX-R 600	WVVCV	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
600	2008-2010	GSX-R 600	WVVCV	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
600	2008-2010	GSX-R 600	WVVCV	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
600	2007-	GSR 600 - GSR 600 A	WVB9	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
600	2007-	GSR 600 - GSR 600 A	WVB9	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
600	2007-	GSR 600 - GSR 600 A	WVB9	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
600	2007-	GSR 600 - GSR 600 A	WVB9	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
650	2018-	SV 650 X	WCX1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2018-	SV 650 X	WCX1	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2018-	SV 650 X	WCX1	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
650	2018-	SV 650 X	WCX1	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.25 / 33	2.50 / 36
650	2017-	DL 650 X - V-Strom 650 XT (Speichenräder)	WC70-WC71	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.25 / 33	2.80 / 41
650	2017-	DL 650 - V-Strom 650 (Gussräder)	WC70-WC71	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.25 / 33	2.80 / 41
650	2017-	SV 650 - SV 50 X	WCX0-WCX1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2017-	SV 650 - SV 50 X	WCX0-WCX1	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2017-	SV 650 - SV 50 X	WCX0-WCX1	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
650	2017-	SV 650 - SV 50 X	WCX0-WCX1	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.25 / 33	2.50 / 36
650	2012-2016	DL 650 V-Strom - XT mit ABS	C7	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.25 / 33	2.80 / 41
650	2012-2016	DL 650 V-Strom - XT mit ABS	C7	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.80 / 41
650	2012-2016	DL 650 V-Strom - XT mit ABS	C7	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.80 / 41
650	2012-2016	DL 650 V-Strom - XT mit ABS	C7	110/80-19 59V TL	Trekridner M+S AV84	150/70-17 69V TL	Trekridner M+S AV85	2.25 / 33	2.80 / 41
650	2004-2011	DL 650 V-Strom mit-ohne ABS	WVB1	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.25 / 33	2.80 / 41
650	2004-2011	DL 650 V-Strom mit-ohne ABS	WVB1	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.80 / 41
650	2004-2011	DL 650 V-Strom mit-ohne ABS	WVB1	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.80 / 41
650	2004-2011	DL 650 V-Strom mit-ohne ABS	WVB1	110/80-19 59V TL	Trekridner M+S AV84	150/70-17 69V TL	Trekridner M+S AV85	2.25 / 33	2.80 / 41
650	2005-2010	GSF 650 - S	WVB5	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
650	2005-2010	GSF 650 - S	WVB5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
650	2005-2010	GSF 650 - S	WVB5	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
650	2005-2010	GSF 650 - S	WVB5	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
650	2005-2010	GSF 650 A - SA	WVB5	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
650	2005-2010	GSF 650 A - SA	WVB5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
650	2005-2010	GSF 650 A - SA	WVB5	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
650	2005-2010	GSF 650 A - SA	WVB5	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
650	2009-	GSF 650 alle Versionen	WVCZ	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
650	2009-	GSF 650 alle Versionen	WVCZ	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
650	2009-	GSF 650 alle Versionen	WVCZ	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
650	2009-	GSF 650 alle Versionen	WVCZ	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
650	2008-	GSX 650 F - FA	WVCJ	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
650	2008-	GSX 650 F - FA	WVCJ	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
650	2008-	GSX 650 F - FA	WVCJ	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
650	2008-	GSX 650 F - FA	WVCJ	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
650	2008-	SFV 650 Gladius	WVCX	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
650	2008-	SFV 650 Gladius	WVCX	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
650	2008-	SFV 650 Gladius	WVCX	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
650	2008-	SFV 650 Gladius	WVCX	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
650	2007-	SV650A ABS	WVBV	120/60ZR17 (55W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2007-	SV650A ABS	WVBV	120/60ZR17 (55W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2007-	SV650A ABS	WVBV	120/60ZR17 (55W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
650	2007-	SV650SA ABS	WVBV	120/60ZR17 (55W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.50 / 36
650	2007-	SV650SA ABS	WVBV	120/60ZR17 (55W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.50 / 36
650	2007-	SV650SA ABS	WVBV	120/60ZR17 (55W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.25 / 33	2.50 / 36
750	2017-2018	GSX-S 750	WC50	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2017-2018	GSX-S 750	WC50	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
750	2017-2018	GSX-S 750	WC50	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
750	2017-2018	GSX-S 750	WC50	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
750	2011-	GSR 750 - ABS	C5	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2011-	GSR 750 - ABS	C5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
SUZUKI									
750	2011-	GSR 750 - ABS	C5	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
750	2011-	GSR 750 - ABS	C5	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
750	2011-	GSX-R 750	C4	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2011-	GSX-R 750	C4	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
750	2011-	GSX-R 750	C4	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
750	2008-2010	GSX-R 750	WVCW	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
750	2008-2010	GSX-R 750	WVCW	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
750	2008-2010	GSX-R 750	WVCW	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
800	2008-	VZ 800 Intruder M 800	WVB4	MT90B16 74H TL	Cobra Chrome AV91	170/80B15 83H TL	Cobra Chrome AV92	2.30 / 33	2.50 / 36
800	2008-	VZ 800 Intruder M 800	WVB4	MT90B16 74H TL	Cobra Chrome WW AV91	170/80B15 83H TL	Cobra Chrome WW AV92	2.30 / 33	2.50 / 36
1000	2018-	DL 1000 V-Strom 1000 - V-Strom 1000 XT	WDD0	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.80 / 41
1000	2018-	GSX-S 1000 - GSX-S 1000 A-FA	WDG0	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2018-	GSX-S 1000 - GSX-S 1000 A-FA	WDG0	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2018-	GSX-S 1000 - GSX-S 1000 A-FA	WDG0	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1000	2017-2018	GSX-R 1000 - R - ABS	WDM0	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
1000	2017-2018	GSX-R 1000 - R - ABS	WDM0	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
1000	2017-2018	GSX-R 1000 - R - ABS	WDM0	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1000	2015-2017	GSX-S 1000 - GSX-S 1000 A-FA	DG-WDG0	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015-2017	GSX-S 1000 - GSX-S 1000 A-FA	DG-WDG0	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2015-2017	GSX-S 1000 - GSX-S 1000 A-FA	DG-WDG0	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1000	2014-2017	DL 1000 V-Strom	DD	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.80 / 41
1000	2014-2017	DL 1000 V-Strom	DD	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.80 / 41
1000	2014-2017	DL 1000 V-Strom	DD	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.80 / 41
1000	2015-2016	GSX-R 1000 ABS	WVCY	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015-2016	GSX-R 1000 ABS	WVCY	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2015-2016	GSX-R 1000 ABS	WVCY	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1000	2015-2016	GSX-R 1000 ABS	WVCY	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1000	2012-2015	GSX-R 1000	WVCY	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2012-2015	GSX-R 1000	WVCY	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2012-2015	GSX-R 1000	WVCY	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1000	2009-2012	GSX-R 1000	WVCY	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2009-2012	GSX-R 1000	WVCY	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2009-2012	GSX-R 1000	WVCY	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1200	2006-	GSF 1200 - A - SA	WVCB	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
1200	2006-	GSF 1200 - A - SA	WVCB	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
1200	2006-	GSF 1200 - A - SA	WVCB	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1200	2006-	GSF 1200 - A - SA	WVCB	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
1250	2010-	GSF 1250 Bandit S	WVCH	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
1250	2010-	GSF 1250 Bandit S	WVCH	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
1250	2010-	GSX 1250 FA	WVCH	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1250	2010-	GSX 1250 FA	WVCH	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1250	2010-	GSX 1250 FA	WVCH	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1250	2010-	GSX 1250 FA	WVCH	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
1250	2006-2009	GSF 1250 A - SA	WVCH	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
1250	2006-2009	GSF 1250 A - SA	WVCH	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
1300	2013-	GSX 1300 R Hayabusa	WVCK	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.90 / 42	2.90 / 42
1300	2013-	GSX 1300 R Hayabusa	WVCK	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.90 / 42	2.90 / 42
1300	2013-	GSX 1300 R Hayabusa	WVCK	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.90 / 42	2.90 / 42
1300	2000-2012	GSX 1300 R Hayabusa	WVCK	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.90 / 42	2.90 / 42
1300	2000-2012	GSX 1300 R Hayabusa	WVCK	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.90 / 42	2.90 / 42
1300	2000-2012	GSX 1300 R Hayabusa	WVCK	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.90 / 42	2.90 / 42
1300	2008-	GSX 1300 B-BA B-King	WVCR	120/70ZR17 (58W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1300	2008-	GSX 1300 B-BA B-King	WVCR	120/70ZR17 (58W) TL	Storm 3D X-M AV65	200/50ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1300	2008-	GSX 1300 B-BA B-King	WVCR	120/70ZR17 (58W) TL	3D Ultra SP AV79	200/50ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1500	2013-	VL 1500 BT Intruder C 1500 T	C1	130/80B17 65H TL	Cobra Chrome AV91	200/60VR16 (79V) TL	Cobra Chrome AV92	2.30 / 33	2.80 / 41
1500	2009-	VZ 1500 Intruder M 1500	WVCU	120/70ZR18 (59W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1500	2009-	VZ 1500 Intruder M 1500	WVCU	120/70ZR18 (59W) TL	Storm 3D X-M AV65	200/50ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1800	2008-	VLR 1800 Inturder C 1800R	WVCT	150/80R16 71V TL	Cobra Chrome AV91	240/50R16 84V TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1800	2006-	VZR 1800 Intruder M1800R	WVCA	130/70VR18 (63V) TL	Cobra Chrome AV91	240/40VR18 (79V) TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1800	2006-	VZR 1800 Intruder M1800R	WVCA	130/70VR18 (63V) TL	Cobra Chrome AV91	250/40VR18 (81V) TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
TRIUMPH									
675	2017-	Street Triple - S - R - RS	HD01	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
675	2017-	Street Triple - S - R - RS	HD01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
675	2017-	Street Triple - S - R - RS	HD01	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
675	2017-	Street Triple - S - R - RS	HD01	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
675	2009-2016	Street Triple R	D67LD	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
675	2009-2016	Street Triple R	D67LD	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
675	2009-2016	Street Triple R	D67LD	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
675	2009-2016	Street Triple R	D67LD	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
675	2013-	Daytona 675 - Daytona 675 R	H67	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.70 / 39
675	2013-	Daytona 675 - Daytona 675 R	H67	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.70 / 39
675	2013-	Daytona 675 - Daytona 675 R	H67	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.70 / 39
675	2013-	Street Triple - Street Triple R - RX	L67LR	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
675	2013-	Street Triple - Street Triple R - RX	L67LR	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
675	2013-	Street Triple - Street Triple R - RX	L67LR	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
675	2013-	Street Triple - Street Triple R - RX	L67LR	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
675	2011-2013	Street Triple	D67LD	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.90 / 42

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
675	2011-2013	Street Triple	D67LD	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.90 / 42
675	2011-2013	Street Triple	D67LD	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.90 / 42
675	2011-2013	Street Triple	D67LD	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.40 / 35	2.90 / 42
675	2009-2013	Daytona 675 - Daytona 675 R	D67LC	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.70 / 39
675	2009-2013	Daytona 675 - Daytona 675 R	D67LC	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.70 / 39
675	2009-2013	Daytona 675 - Daytona 675 R	D67LC	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.70 / 39
675	2007-2010	Street Triple	D67LD	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
675	2007-2010	Street Triple	D67LD	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
675	2007-2010	Street Triple	D67LD	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.90 / 42
675	2007-2010	Street Triple	D67LD	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.40 / 35	2.90 / 42
675	2006-2009	Daytona 675 - Daytona 675 SE	D67LC	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.70 / 39
675	2006-2009	Daytona 675 - Daytona 675 SE	D67LC	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.70 / 39
675	2006-2009	Daytona 675 - Daytona 675 SE	D67LC	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.70 / 39
765	2018-	Street Triple R		120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
765	2018-	Street Triple R		120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
765	2018-	Street Triple R		120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
765	2018-	Street Triple R		120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
765	2018-	Street Triple RS		120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
765	2018-	Street Triple RS		120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
765	2018-	Street Triple RS		120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
765	2018-	Street Triple RS		120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
765	2018-	Street Triple S		120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
765	2018-	Street Triple S		120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
765	2018-	Street Triple S		120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
765	2018-	Street Triple S		120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2018-	Tiger 800 XCA - XCX	C301	90/90-21 54V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2018-	Tiger 800 XCA - XCX	C301	90/90-21 54T TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
800	2016-2017	Tiger 800 XC - XCA - XCX	C201	90/90-21 54V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2016-2017	Tiger 800 XC - XCA - XCX	C201	90/90-21 54T TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
800	2016-	Tiger 800 XR - XRT - XRX	C201	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2016-	Tiger 800 XR - XRT - XRX	C201	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2016-	Tiger 800 XR - XRT - XRX	C201	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2016-	Tiger 800 XR - XRT - XRX	C201	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
800	2015-	Tiger 800 XR - XRT - XRX	A082	100/90-19 57H TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2015	Tiger 800 XC - XCA - XCX	A082	90/90-21 54V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2015	Tiger 800 XC - XCA - XCX	A082	90/90-21 54T TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
800	2011-2014	Tiger 800 inkl ABS	A08	100/90-19 57H TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2011-2014	Tiger 800 inkl ABS	A08	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2011-2014	Tiger 800 inkl ABS	A08	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
800	2011-2014	Tiger 800 inkl ABS	A08	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
800	2011-2014	Tiger 800 inkl ABS	A08	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
800	2011-2014	Tiger 800 XC	A08	90/90-21 54V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
800	2011-2014	Tiger 800 XC	A08	90/90-21 54T TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
865	2006-2018	Scrambler	986MG-986MG2	100/90-19 57H TL	Trailrider M+S AV53	130/80-17 65H TL	Trailrider M+S AV54	2.10 / 30	2.40 / 35
865	2006-2018	Scrambler	986MG-986MG2	100/90-19 57H TL	Trailrider M+S AV53	130/80R17 65H TL	Trailrider M+S AV54	2.10 / 30	2.40 / 35
865	2006-2018	Scrambler	986MG-986MG2	110/80-19 59V TL	Trekridr M+S AV84	130/80-17 65T TL	Trekridr M+S AV85	2.10 / 30	2.40 / 35
865	2006-2018	Scrambler	986MG-986MG2	110/80R19 59V TL	Trailrider M+S AV53	140/80R17 69V TL	Trailrider M+S AV54	2.10 / 30	2.40 / 35
865	2006-2018	Scrambler	986MG-986MG2	110/80-19 59V TL	Trekridr M+S AV84	140/80-17 69T TL	Trekridr M+S AV85	2.10 / 30	2.40 / 35
865	2009-2015	Bonneville - Bonneville SE	986MF	110/70V17 (54V) TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.30 / 33	2.60 / 38
865	2011-	Speedmaster	986ML2	100/90-19 57V TL	Cobra Chrome AV91	170/80B15 83H TL	Cobra Chrome AV92	2.30 / 33	2.70 / 39
865	2011-	Speedmaster	986ML2	100/90-19 57V TL	Cobra Chrome WW AV91	170/80B15 83H TL	Cobra Chrome WW AV92	2.30 / 33	2.70 / 39
865	2008-2011	Speedmaster 865cc	908ML-986ML2	110/80V18 (58V) TL	Roadrider AM26	170/80B15 83H TL	Cobra Chrome AV92	2.10 / 30	2.50 / 36
865	2008-	Bonneville T 100 - Steve McQueen Edition	986MF	100/90-19 57V TL	Roadrider AM26	130/80-17 65V TL	Roadrider AM26	2.30 / 33	2.80 / 41
865	2008-	Bonneville T 100 - Steve McQueen Edition	986MF	100/90-19 57H TL	Trailrider M+S AV53	130/80R17 65H TL	Trailrider M+S AV54	2.30 / 33	2.80 / 41
900	2017-2018	Street Scrampler	DC01	100/90-19 57H TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.00 / 29	2.50 / 36
900	2016-2018	Street Twin	DP01-DP02	100/90ZR18 (56W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.20 / 32	2.50 / 36
900	2016-2018	Street Twin	DP01-DP02	100/90ZR18 (56W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
900	2017-	Bonneville T 100 - Black	DB01	100/90ZR18 (56W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.20 / 32	2.50 / 36
900	2017-	Bonneville T 100 - Black	DB01	100/90ZR18 (56W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
900	2017-	Street Cup	DZ01	100/90ZR18 (56W) TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.20 / 32	2.50 / 36
900	2017-	Street Cup	DZ01	100/90ZR18 (56W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
900	2014-	Bonneville America - LT	986MK2	MT90B16 74H TL	Cobra Chrome AV91	170/80B15 83H TL	Cobra Chrome AV92	2.30 / 33	2.70 / 39
900	2014-	Bonneville America - LT	986MK2	MT90B16 74H TL	Cobra Chrome WW AV91	170/80B15 83H TL	Cobra Chrome WW AV92	2.30 / 33	2.70 / 39
900	2011-	Bonneville America	986MK2	MT90B16 74H TL	Cobra Chrome AV91	170/80B15 83H TL	Cobra Chrome AV92	2.30 / 33	2.70 / 39
900	2011-	Bonneville America	986MK2	MT90B16 74H TL	Cobra Chrome WW AV91	170/80B15 83H TL	Cobra Chrome WW AV92	2.30 / 33	2.70 / 39
900	2008-2011	Bonneville America	986Mk	110/90V18 (61V) TL	Roadrider AM26	170/80B15 83H TL	Cobra Chrome AV92	2.10 / 30	2.50 / 36
1050	2016-2018	Speed Triple S - Speed Triple R	NN01	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1050	2016-2018	Speed Triple S - Speed Triple R	NN01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1050	2016-2018	Speed Triple S - Speed Triple R	NN01	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1050	2016-	Tiger Sport	NH01	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.90 / 42
1050	2016-	Tiger Sport	NH01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.90 / 42
1050	2016-	Tiger Sport	NH01	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.90 / 42
1050	2016-	Tiger Sport	NH01	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.40 / 35	2.90 / 42
1050	2013-2016	Tiger Sport	115NG	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.90 / 42
1050	2013-2016	Tiger Sport	115NG	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.90 / 42
1050	2013-2016	Tiger Sport	115NG	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.90 / 42
1050	2013-2016	Tiger Sport	115NG	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.40 / 35	2.90 / 42
1050	2007-2013	Tiger 1050 - SE inkl. ABS	115NG	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.90 / 42

Fitment Guide



cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
TRIUMPH									
1050	2007-2013	Tiger 1050 - SE inkl. ABS	115NG	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.90 / 42
1050	2007-2013	Tiger 1050 - SE inkl. ABS	115NG	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.90 / 42
1050	2007-2013	Tiger 1050 - SE inkl. ABS	115NG	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.40 / 35	2.90 / 42
1050	2012-	Speed Triple R	515NV	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1050	2012-	Speed Triple R	515NV	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1050	2012-	Speed Triple R	515NV	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1050	2011-2011	Speed Triple - ABS	515NV	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1050	2011-2011	Speed Triple - ABS	515NV	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1050	2011-2011	Speed Triple - ABS	515NV	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1050	2011-	Sprint GT	215ND	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1050	2011-	Sprint GT	215ND	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1050	2011-	Sprint GT	215ND	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1050	2011-	Sprint GT	215ND	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1050	2011-	Sprint ST ABS	215NA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1050	2011-	Sprint ST ABS	215NA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1050	2011-	Sprint ST ABS	215NA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1050	2005-2011	Sprint ST	215NA	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1050	2005-2011	Sprint ST	215NA	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1050	2005-2011	Sprint ST	215NA	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.90 / 42
1050	2008-2010	Speed Triple	NJ2	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.40 / 35	2.90 / 42
1050	2008-2010	Speed Triple	NJ2	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.40 / 35	2.90 / 42
1050	2008-2010	Speed Triple	NJ2	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.40 / 35	2.90 / 42
1050	2008-2010	Speed Triple	NJ2	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.40 / 35	2.90 / 42
1200	2018-	Bonneville Bobber Black	DV01	MT90816 74H TL	Cobra Chrome AV91	150/80R16 71V TL	Cobra Chrome AV92	2.20 / 32	2.90 / 42
1200	2018-	Bonneville Bobber Black	DV01	MT90816 74H TL	Cobra Chrome WW AV91	150/80R16 71V TL	Cobra Chrome WW AV92	2.20 / 32	2.90 / 42
1200	2017-	Bonneville Speedmaster	DV01	100/90-19 57V TL	Cobra Chrome AV91	150/80R16 71V TL	Cobra Chrome AV92	2.20 / 32	2.90 / 42
1200	2017-	Bonneville Speedmaster	DV01	100/90-19 57V TL	Cobra Chrome WW AV91	150/80R16 71V TL	Cobra Chrome WW AV92	2.20 / 32	2.90 / 42
1200	2016-	Bonneville Bobber	DV01	100/90-19 57V TL	Cobra Chrome AV91	150/80R16 71V TL	Cobra Chrome AV92	2.20 / 32	2.90 / 42
1200	2016-	Bonneville Bobber	DV01	100/90-19 57V TL	Cobra Chrome WW AV91	150/80R16 71V TL	Cobra Chrome WW AV92	2.20 / 32	2.90 / 42
1200	2016-	Bonneville T120 - T120 Black	DU01	100/90ZR18 (56W) TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.20 / 32	2.50 / 36
1200	2016-	Thruxton - Thruxton R	DE01	120/70ZR17 (58W) TL	Spirit ST AV75	160/60ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.50 / 36
1200	2016-	Thruxton - Thruxton R	DE01	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/60ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.50 / 36
1200	2016-	Thruxton - Thruxton R	DE01	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/60ZR17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.50 / 36
1200	2016-	Thruxton - Thruxton R	DE01	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/60ZR17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.50 / 36
1200	2016-	Tiger Explorer XC - XR alle Modelle	V201	120/70ZR17 (72W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.20 / 32	2.70 / 39
1200	2016-	Tiger Explorer XC - XR alle Modelle	V201	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.20 / 32	2.70 / 39
1200	2016-	Tiger Explorer XC - XR alle Modelle	V201	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Storm 3D X-M AV66	2.20 / 32	2.70 / 39
1200	2012-2016	Tiger Explorer - Tiger Explorer XC	V13VG	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1200	2012-2016	Tiger Explorer - Tiger Explorer XC	V13VG	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1200	2012-2016	Tiger Explorer - Tiger Explorer XC	V13VG	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1200	2012-2016	Tiger Explorer - Tiger Explorer XC	V13VG	110/80R19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.50 / 36	2.90 / 42
1215	2018-	Tiger 1215 XCX - XCA	C301	90/90-21 54V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.20 / 32	2.70 / 39
1215	2018-	Tiger 1215 XCX - XCA	C301	90/90-21 54T TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.20 / 32	2.70 / 39
1215	2018-	Tiger 1215 XR - XRx - XRT - XRXL	V301	120/70ZR19 (60W) TL	Trailrider M+S AV53	170/60ZR17 (72W) TL	Trailrider M+S AV54	2.20 / 32	2.70 / 39
1215	2018-	Tiger 1215 XR - XRx - XRT - XRXL	V301	120/70ZR19 (60W) TL	Spirit ST AV75	170/60ZR17 (72W) TL	Spirit ST AV76	2.20 / 32	2.70 / 39
1215	2013-	Trophy - Trophy SE	V13VH	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1215	2013-	Trophy - Trophy SE	V13VH	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1600	2009-	Thunderbird 1600	B168A	120/70ZR19 (60W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.60 / 38
1600	2009-	Thunderbird 1600	B168A	120/70ZR19 (60W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.60 / 38
1600	2009-	Thunderbird 1600	B168A	120/70ZR19 (60W) TL	Cobra Chrome AV91	200/50R17 75H TL	Cobra Chrome AV92	2.50 / 36	2.60 / 38
1700	2014-	Thunderbird Commander - Nightstorm	B17	140/75R17 67V TL	Cobra AV71	200/50ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1700	2014-	Thunderbird Commander - Nightstorm	B17	140/75R17 67V TL	Cobra Chrome AV91	200/50R17 75H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1700	2014-	Thunderbird Commander - Nightstorm	B17	140/75R17 67V TL	Cobra AV71	200/50ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1700	2014-	Thunderbird Commander - Nightstorm	B17	140/75R17 67V TL	Cobra Chrome AV91	200/50R17 75H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
1700	2014-	Thunderbird LT	B17-BF01	150/80R16 71V TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.50 / 36	3.00 / 44
1700	2014-	Thunderbird LT	B17-BF01	150/80R16 71V TL	Cobra Chrome WW AV91	180/70R16 77V TL	Cobra Chrome WW AV92	2.50 / 36	3.00 / 44
1700	2009-	Thunderbird Storm ABS	B168A-BK01	120/70ZR19 (60W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.60 / 38
1700	2009-	Thunderbird Storm ABS	B168A-BK01	120/70ZR19 (60W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.60 / 38
1700	2009-	Thunderbird Storm ABS	B168A-BK01	120/70ZR19 (60W) TL	Cobra Chrome AV91	200/50R17 75H TL	Cobra Chrome AV92	2.50 / 36	2.60 / 38
1700	2009-	Thunderbird Storm ABS	B168A-BK01	120/70ZR19 (60W) TL	Spirit ST AV75	200/50ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.60 / 38
2300	2010-2013	Rocket III Roadster	C23XB-C20	150/80R17 72V TL	Cobra Chrome AV91	240/50R16 84V TL	Cobra Chrome AV92	2.50 / 36	3.00 / 44
2300	2008-2013	Rocket III Touring	23XC	150/80R16 71V TL	Cobra Chrome AV91	180/70R16 77V TL	Cobra Chrome AV92	2.60 / 38	3.00 / 44
2300	2008-2013	Rocket III Touring	23XC	150/80R16 71V TL	Cobra Chrome WW AV91	180/70R16 77V TL	Cobra Chrome WW AV92	2.60 / 38	3.00 / 44
2300	2005-2010	Rocket III	C23XB	150/80R17 72V TL	Cobra Chrome AV91	240/50R16 84V TL	Cobra Chrome AV92	2.50 / 36	3.00 / 44
2300	2005-2010	Rocket III Classic	C23XB	150/80R17 72V TL	Cobra Chrome AV91	240/50R16 84V TL	Cobra Chrome AV92	2.50 / 36	3.00 / 44
YAMAHA									
50	2018-	Aerox	SA60	120/70-13 53P TL	Viper Stryke AM63	130/60-13 60P TL	Viper Stryke AM63	1.60 / 23	1.70 / 25
50	2018-	Neo's / UBS	SA61	120/70-12 58P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.75 / 25	2.25 / 33
50	2009-2015	YN 50 F Neo's 50	SA46	120/70-12 58P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.75 / 25	2.00 / 29
50	2009-2015	YN 50 F Neos 50	SA40	120/70-12 62P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.75 / 25	2.00 / 29
50	2009-2015	YN 50 Neos 50	SA45	120/70-12 58P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.75 / 25	2.00 / 29
50	2013-	NS 50 Aerox 50	SA42	120/70-13 53P TL	Viper Stryke AM63	140/60-14 64S TL	Viper Stryke AM63	1.90 / 28	2.20 / 32
125	2018-	X-Max 125	SE6E	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.10 / 30	2.50 / 36
125	2017-	HW 125 - Xenter 125	SED4	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	1.75 / 25	2.25 / 33
125	2017-	Xenter 125 - HW 125	SED4	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	2.00 / 29	2.25 / 33
125	2017-	X-Max 125	SEC3	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.20 / 32	2.50 / 36
125	2017-	YS 125 - YS 125-SC	RE33	2.75-18 48S TL	Streerunner AV83	100/80V18 (58V) TL	Roadrider AM26	1.75 / 25	2.75 / 40

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
125	2017-	YS 125 - YS 125-SC	RE33	2.75-18 48S TL	Streerunner AV83	90/90-18 51S TL	Streerunner AV83	1.75 / 25	2.75 / 40
125	2017-	YZF-R 125	RE29	100/80-17 52S TL	Streerunner AV83	130/70-17 62S TL	Streerunner AV83	1.80 / 26	2.25 / 33
125	2017-	YZF-R 125	RE29	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	1.80 / 26	2.25 / 33
125	2017	X-Max 125	SEC3	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.10 / 30	2.50 / 36
125	2012-2016	Xenter 125 - HW 125	SE59	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	1.75 / 25	2.00 / 29
125	2010-2016	X-Max 125 R - RA	SE32-54-64-68	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.20 / 32	2.50 / 36
125	2006-2016	YBR 125	RE03-RE04-RE05	2.75-18 48S TL	Streerunner AV83	90/90-18 51S TL	Streerunner AV83	1.75 / 25	2.80 / 41
125	2006-2016	YP 125 R/RA X-Max 125	SE54-SE64-SE68	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	1.90 / 28	2.20 / 32
125	2015-	YZF-R 125 - A	RE11	100/80-17 52S TL	Streerunner AV83	130/70-17 62S TL	Streerunner AV83	1.80 / 26	2.25 / 33
125	2015-	YZF-R 125 - A	RE11	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	1.80 / 26	2.25 / 33
125	2014-	Majesty S	SE81	120/70-13 53P TL	Viper Stryke AM63	130/70-13 63P TL	Viper Stryke AM63	2.00 / 29	2.25 / 33
125	2014-	MT-125 - MT 125 A ABS	RE11-RE29	100/80-17 52S TL	Streerunner AV83	130/70-17 62S TL	Streerunner AV83	1.80 / 26	2.25 / 33
125	2014-	MT-125 - MT 125 A ABS	RE11-RE29	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	1.80 / 26	2.25 / 33
125	2014-	MW 125 Tricity	SE78	80/90-14 40S TL	Viper Stryke AM63	110/90-12 64P TL	Viper Stryke AM63	1.75 / 25	2.25 / 33
125	2014-	YP 125 S Majesty	SE81	120/70-13 53P TL	Viper Stryke AM63	130/70-13 63P TL	Viper Stryke AM63	2.20 / 32	2.40 / 35
125	2012-	HW 125 - Xenter	SE59-SED4	100/80-16 50P TL	Viper Stryke AM63	120/80-16 60P TL	Viper Stryke AM63	1.75 / 25	2.00 / 29
125	2010-	BWs 125	SE55	120/70-12 58P TL	Viper Stryke AM63	130/70-12 62P TL	Viper Stryke AM63	1.75 / 25	2.00 / 29
125	2009-	WR 125 R (Enduro)	DE07	80/90-21 48S TL	Trailrider M+S AV53	110/80-18 58S TL	Trailrider M+S AV54	2.00 / 29	2.25 / 33
125	2009-	WR 125 X (Supermoto)	DE07	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.25 / 33
125	2008-	XC 125 E - Vity XC 125	SE42	100/90-10 56J TL	Viper Stryke AM63	100/90-10 56J TL	Viper Stryke AM63	1.75 / 25	2.50 / 36
125	2008-	YZF-R 125	RE06	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	1.75 / 25	2.25 / 33
125	2008-	YZF-R 125	RE06	100/80-17 52S TL	Streerunner AV83	130/70-17 62S TL	Streerunner AV83	1.75 / 25	2.25 / 33
250	2014-	Maxam		120/70-13 53P TL	Viper Stryke AM63	130/70-13 63P TL	Viper Stryke AM63	-	-
250	2014-	YP 250 R - RA X-Max 250-A	SG26	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	1.90 / 28	2.10 / 30
250	2012-2013	YP 250 R - RA X-Max 250-A	SG25	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	1.90 / 28	2.10 / 30
250	2010-2011	YP 250 R - RA X-Max 250-A	SG22	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	1.90 / 28	2.10 / 30
250	2010-	YBR 250	SC11	100/80-17 52V TL	Roadrider AM26	130/70-17 62V TL	Roadrider AM26	-	-
250	1992-2010	SRV 250 S - T	T	90/90-18 51V TL	Roadrider AM26	110/90V18 (61V) TL	Roadrider AM26	2.20 / 32	2.50 / 36
250	2008-	WR 250 X	DG20	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	1.50 / 22	2.00 / 29
250	2008-	XT 250	Y3Y	90/90-21 54V TL	Trailrider M+S AV53	110/80-18 58S TL	Trailrider M+S AV54	2.00 / 29	2.30 / 33
300	2018-	X-Max 300	SH13	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.00 / 29	2.25 / 33
300	2017	X-Max 300 CZD300-A	SH08	120/70-15 56S TL	Viper Stryke AM63	140/70-14 68S TL	Viper Stryke AM63	2.00 / 29	2.25 / 33
320	2016-	MT-03 - MTN 320-A	RH07	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.50 / 36
321	2017-	MT-03 - MT-03	RH12	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.50 / 36
321	2017-	YZF-R3 A	RH12	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.50 / 36
321	2015-	YZF-R3 A	RH07	110/70V17 (54V) TL	Roadrider AM26	140/70-17 66V TL	Roadrider AM26	2.00 / 29	2.50 / 36
395	2018-	X-Max 400 - X-Max 400	SH12	120/70-15 56S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.10 / 30	2.50 / 36
400	2016-	X-Max 400	SH11	120/70-15 56S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.20 / 32	2.50 / 36
400	2014-	SR 400	RH05	100/90-18 56V TL	Roadrider AM26	110/90V18 (61V) TL	Roadrider AM26	2.00 / 29	2.25 / 33
400	2014-	SR 400	RH05	100/90-18 56V TL	Roadrider AM26	120/90-18 65V TL	Roadrider AM26	2.00 / 29	2.25 / 33
400	2014-	SR 400	RH05	90/90-18 51V TL	Roadrider AM26	110/90V18 (61V) TL	Roadrider AM26	2.00 / 29	2.25 / 33
400	2014-	YP 400 R-RA X-Max 400-ABS	SH07	120/70-15 56S TL	Viper Stryke AM63	150/70-13 64S TL	Viper Stryke AM63	2.20 / 32	2.50 / 36
450	2008-	WR 450 F	WR450-CJ13	90/90-21 54V TL	Trailrider M+S AV53	140/80-18 70S TL	Trailrider M+S AV54	2.10 / 30	2.40 / 35
450	2008-	WR 450 F	WR450-CJ13	90/90-21 54T TL	Trekridr M+S AV84	140/80-18 70T TL	Trekridr M+S AV85	2.10 / 30	2.40 / 35
450	2007-	WR 450 F	WR450-CJ12	90/90-21 54V TL	Trailrider M+S AV53	140/80-18 70S TL	Trailrider M+S AV54	2.10 / 30	2.40 / 35
450	2007-	WR 450 F	WR450-CJ12	90/90-21 54T TL	Trekridr M+S AV84	140/80-18 70T TL	Trekridr M+S AV85	2.10 / 30	2.40 / 35
450	2006-	WR 450 F	WR450-CJ09	90/90-21 54V TL	Trailrider M+S AV53	140/80-18 70S TL	Trailrider M+S AV54	2.10 / 30	2.40 / 35
450	2006-	WR 450 F	WR450-CJ09	90/90-21 54T TL	Trekridr M+S AV84	140/80-18 70T TL	Trekridr M+S AV85	2.10 / 30	2.40 / 35
600	2017-	YZF 600 XZF-R6	RJ27	120/70ZR17 (58W) TL	Spirit ST AV75	180/552R17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2017-	YZF 600 XZF-R6	RJ27	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/552R17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2017-	YZF 600 XZF-R6	RJ27	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/552R17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2017-	YZF-R6	RJ27	120/70ZR17 (58W) TL	Spirit ST AV75	180/552R17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2017-	YZF-R6	RJ27	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/552R17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2017-	YZF-R6	RJ27	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/552R17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2012-2016	YZF-R6	RJ151-5	120/70ZR17 (58W) TL	Spirit ST AV75	180/552R17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2012-2016	YZF-R6	RJ151-5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/552R17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2012-2016	YZF-R6	RJ151-5	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/552R17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2013-	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ22	120/70ZR17 (58W) TL	Spirit ST AV75	160/602R17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2013-	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ22	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/602R17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2013-	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ22	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/602R17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2013-	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ22	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/602R17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
600	2009-2012	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ19	120/70ZR17 (58W) TL	Spirit ST AV75	160/602R17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2009-2012	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ19	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/602R17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2009-2012	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ19	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/602R17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2009-2012	XJ 6 - XJ 6-A - Div.-A - Div. F-A	RJ19	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/602R17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
600	2008-2011	YZF-R6	RJ151-5	120/70ZR17 (58W) TL	Spirit ST AV75	180/552R17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2008-2011	YZF-R6	RJ151-5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/552R17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2008-2011	YZF-R6	RJ151-5	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/552R17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2008-	FZ 6 Fazer - FZ 6 - S 2	RJ14	120/70ZR17 (58W) TL	Spirit ST AV75	180/552R17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
600	2008-	FZ 6 Fazer - FZ 6 - S 2	RJ14	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/552R17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
600	2008-	FZ 6 Fazer - FZ 6 - S 2	RJ14	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/552R17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
600	2008-	FZ 6 Fazer - FZ 6 - S 2	RJ14	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/552R17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
660	2013-2014	MT-03	RM05	120/70ZR17 (58W) TL	Spirit ST AV75	160/602R17 (69W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
660	2013-2014	MT-03	RM05	120/70ZR17 (58W) TL	Storm 3D X-M AV65	160/602R17 (69W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
660	2013-2014	MT-03	RM05	120/70ZR17 (58W) TL	3D Ultra SP AV79	160/602R17 (69W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
660	2013-2014	MT-03	RM05	120/70ZR17 (58W) TL	Trailrider M+S AV53	160/602R17 (69W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
660	2013-	XT 660 Z - XT 660 Z Tenere	DM041	90/90-21 54V TL	Trailrider M+S AV53	130/80-17 65H TL	Trailrider M+S AV54	2.10 / 30	2.30 / 33
660	2013-	XT 660 Z - XT 660 Z Tenere	DM041	90/90-21 54T TL	Trekridr M+S AV84	130/80-17 65T TL	Trekridr M+S AV85	2.10 / 30	2.30 / 33

cc	Year	Model	Type	Front size	Range	Rear size	Range	Front pressure	Rear Pressure
942	2017-	XVS 950 CXR-A - SCR 950	VN07	100/90-19 57H TL	Trailrider M+S AV53	140/80R17 69V TL	Trailrider M+S AV54	2.50 / 36	2.80 / 41
950	2017-	SCR 950 - XVS950CXR-A	VN07	100/90-19 57H TL	Trailrider M+S AV53	140/80R17 69V TL	Trailrider M+S AV54	2.80 / 41	2.80 / 41
950	2017-	XVS 950 CUD-A XV 950 R	VN07	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
950	2017-	XVS 950 CUD-A XV 950 R	VN07	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
950	2015-	XVS 950 CU - XV 950 Racer	VN03	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
950	2015-	XVS 950 CU - XV 950 Racer	VN03	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
950	2015-	XVS 950 CU - XV 950 Racer	VN03	100/90-19 57V TL	Roadrider AM26	150/80V16 (71V) TL	Roadrider AM26	2.50 / 36	2.80 / 41
950	2013-2015	XVS 950 CU - XV 950 R - ABS	VN03	100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
950	2013-2015	XVS 950 CU - XV 950 R - ABS	VN03	100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
950	2013-2015	XVS 950 CU - XV 950 R - ABS	VN03	100/90-19 57V TL	Roadrider AM26	150/80V16 (71V) TL	Roadrider AM26	2.50 / 36	2.80 / 41
950	2014-	XV 950 Bolt - Star Bolt		100/90-19 57V TL	Cobra Chrome AV91	150/80B16 77V TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
950	2014-	XV 950 Bolt - Star Bolt		100/90-19 57V TL	Cobra Chrome WW AV91	150/80B16 77V TL	Cobra Chrome WW AV92	2.50 / 36	2.80 / 41
950	2009-2013	XVS 950 A Midnight Star	VN02	130/70R18 63H TL	Cobra Chrome AV91	170/70R16 75H TL	Cobra Chrome AV92	2.50 / 36	2.90 / 42
950	2009-2013	XVS 950 A Midnight Star	VN02	130/70B18 69H TL	Cobra Chrome AV91	180/65B16 81H TL	Cobra Chrome AV92	2.50 / 36	2.80 / 41
1000	2017-	YZF-R1 - YZF-R1 M	RN49-1-4	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2017-	YZF-R1 - YZF-R1 M	RN49-1-4	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2017-	YZF-R1 - YZF-R1 M	RN49-1-4	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2017-	YZF-R1 - YZF-R1 M	RN49-1-4	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2016-	MT-10 - SP	RN45	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2016-	MT-10 - SP	RN45	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2016-	MT-10 - SP	RN45	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2015-2016	YZF-R1 - YZF-R1 M	RN32-1-6	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2015-2016	YZF-R1 - YZF-R1 M	RN32-1-6	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2015-2016	YZF-R1 - YZF-R1 M	RN32-1-6	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2015-2016	YZF-R1 - YZF-R1 M	RN32-1-6	120/70ZR17 (58W) TL	Spirit ST AV75	200/55ZR17 (78W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2009-2011	YZF-R1	RN22-1	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2009-2011	YZF-R1	RN22-1	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2009-2011	YZF-R1	RN22-1	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2009-2011	YZF-R1	RN22-5	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/55ZR17 (75W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2009-2011	YZF-R1	RN22-5	120/70ZR17 (58W) TL	Spirit ST AV75	190/55ZR17 (75W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2009-2011	YZF-R1	RN22-5	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/55ZR17 (75W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2010-	FZ1 - Fazer	RN16	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2010-	FZ1 - Fazer	RN16	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2010-	FZ1 - Fazer	RN16	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1000	2006-2010	FZ1 - Fazer	RN16	120/70ZR17 (58W) TL	Spirit ST AV75	190/50ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1000	2006-2010	FZ1 - Fazer	RN16	120/70ZR17 (58W) TL	Storm 3D X-M AV65	190/50ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1000	2006-2010	FZ1 - Fazer	RN16	120/70ZR17 (58W) TL	3D Ultra SP AV79	190/50ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1100	2000-2011	XVS 1100 A Drag Star Classic	VP05-05	130/90-16 73H TL	AM20	170/80B15 83H TL	Cobra Chrome AV92	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 A Drag Star Classic	VP05-05	MT90B16 74H TL	Cobra Chrome AV91	170/80B15 83H TL	Cobra Chrome AV92	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 A Drag Star Classic	VP05-05	MT90B16 74H TL	Cobra Chrome WW AV91	170/80B15 83H TL	Cobra Chrome WW AV92	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 Drag Star	VP16	MT90B16 74H TL	Cobra Chrome AV91	170/80B15 83H TL	Cobra Chrome AV92	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 Drag Star	VP16	MT90B16 74H TL	Cobra Chrome WW AV91	170/80B15 83H TL	Cobra Chrome WW AV92	2.25 / 33	2.50 / 36
1100	2000-2011	XVS 1100 Drag Star	VP16	130/90-16 73H TL	AM20	170/80B15 83H TL	Cobra Chrome AV92	2.25 / 33	2.50 / 36
1200	2017-	XT 1200 Z Super Tenere	DP07	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.25 / 33	2.90 / 42
1200	2017-	XT 1200 Z Super Tenere	DP07	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.90 / 42
1200	2017-	XT 1200 Z Super Tenere	DP07	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.90 / 42
1200	2017-	XT 1200 Z Super Tenere	DP07	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.25 / 33	2.90 / 42
1200	2014-	XT 1200 Z ABS Super Ténéré ABS	DP04	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.25 / 33	2.90 / 42
1200	2014-	XT 1200 Z ABS Super Ténéré ABS	DP04	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.90 / 42
1200	2014-	XT 1200 Z ABS Super Ténéré ABS	DP04	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.90 / 42
1200	2014-	XT 1200 Z ABS Super Ténéré ABS	DP04	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z Super Ténéré ABS	DP01	110/80R19 59V TL	Trailrider M+S AV53	150/70R17 69V TL	Trailrider M+S AV54	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z Super Ténéré ABS	DP01	110/80R19 59V TL	Spirit ST AV75	150/70ZR17 (69W) TL	Spirit ST AV76	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z Super Ténéré ABS	DP01	110/80R19 59V TL	Storm 3D X-M AV65	150/70ZR17 (69W) TL	Storm 3D X-M AV66	2.25 / 33	2.90 / 42
1200	2010-2013	XT 1200 Z Super Ténéré ABS	DP01	110/80-19 59V TL	Trekridr M+S AV84	150/70-17 69V TL	Trekridr M+S AV85	2.25 / 33	2.90 / 42
1298	2016-	FJR 1300 A / AE / AS	RP28	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1298	2016-	FJR 1300 A / AE / AS	RP28	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	RP23	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	RP23	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	RP23	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.50 / 36	2.90 / 42
1298	2013-2015	FJR 1300 A / AE / AS	RP23	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.50 / 36	2.90 / 42
1298	2006-2013	FJR 1300	RP13	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.70 / 39	2.90 / 42
1298	2006-2013	FJR 1300	RP13	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.70 / 39	2.90 / 42
1298	2006-2013	FJR 1300	RP13	120/70ZR17 (58W) TL	3D Ultra SP AV79	180/55ZR17 (73W) TL	3D Ultra SP AV80	2.70 / 39	2.90 / 42
1298	2006-2013	FJR 1300	RP13	120/70ZR17 (58W) TL	Trailrider M+S AV53	180/55ZR17 (73W) TL	Trailrider M+S AV54	2.70 / 39	2.90 / 42
1300	2015-	XJR 1300	RP19-4	120/70ZR17 (58W) TL	Spirit ST AV75	180/55ZR17 (73W) TL	Spirit ST AV76	2.50 / 36	2.90 / 42
1300	2015-	XJR 1300	RP19-4	120/70ZR17 (58W) TL	Storm 3D X-M AV65	180/55ZR17 (73W) TL	Storm 3D X-M AV66	2.50 / 36	2.90 / 42

Storm 3D X-M and Cobra not available in North America

Technical Data

The SERVICE DESCRIPTION consists of a Load Index and a Speed Symbol.

Speed Symbol

The SPEED SYMBOL indicates the maximum speed at which the tyre can carry a load corresponding to its Load Index under service conditions specified by Cooper-Avon Tyres.

These speeds are shown in Table 1 and apply to tyres when in good condition, inflated to the correct pressure, operating within their specific load capacity and fitted to the correct size rim. Speeds quoted are the maximum speed of which the tyre is capable, not the speed at which it is normally ridden. V, W and Z rated tyres may also be used at higher speeds but at reduced loadings. For guidance only Table 3 can be used to calculate loads at specific speeds on V, W and Z tyres.

ALL MAXIMUM SPEEDS REFERRED TO IN THIS DATA BOOK ARE SUBJECT TO APPLICABLE LEGAL SPEEDS.

Load Index

The LOAD INDEX is a numerical code associated with the maximum load a tyre can carry (except for loads at speeds above 130 mph (210 km/h) – see Table 2/2a) at the speed indicated by its Speed Symbol under service conditions specified by Avon Tyres. You should only fit replacement tyres bearing the precise speed and load index referred to in the motorcycle manufacturer’s handbook. Before you make any variation please consult Avon Tyres to ensure that the replacement tyre is a correct fitment for your motorcycle.

Table 1 Speed Symbol

Speed Symbol	L	P	S	T	H	V	(V)	W	(W)	ZR
Max mph	75	93	112	118	130	149	>149*	169	>169*	>149
Max km/h	120	150	180	190	210	240	>240*	270	>270*	>240km/h*

Note: the maximum approved speed may be marked on the tyre eg V260.
*at reduced loading

Table 2 Load Index - kgs

LI	kg	LI	kg	LI	kg	LI	kg	LI	kg	LI	kg	LI	kg
41	145	49	185	57	230	65	290	73	365	81	462	89	580
42	150	50	190	58	236	66	300	74	375	82	475	90	600
43	155	51	195	59	243	67	307	75	387	83	487	91	615
44	160	52	200	60	250	68	315	76	400	84	500	92	630
45	165	53	206	61	257	69	325	77	412	85	515	93	650
46	170	54	212	62	265	70	335	78	425	86	530	94	670
47	175	55	218	63	272	71	345	79	437	87	545	95	690
48	180	56	224	64	280	72	355	80	450	88	560	96	710

Table 2a Load Index - lbs

LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs	LI	Lbs
41	320	49	408	57	507	65	639	73	805	81	1019	89	1279
42	331	50	419	58	520	66	661	74	827	82	1047	90	1323
43	342	51	430	59	536	67	677	75	853	83	1074	91	1355
44	353	52	441	60	551	68	694	76	882	84	1102	92	1389
45	364	53	454	61	567	69	716	77	908	85	1135	93	1433
46	375	54	467	62	584	70	739	78	937	86	1168	94	1477
47	386	55	481	63	600	71	761	79	963	87	1201	95	1521
48	397	56	494	64	617	72	783	80	992	88	1235	96	1565

Table 3 Variation in Load Carrying Capacity

Maximum Speed mph (km/h)	VARIATION IN LOAD CARRYING CAPACITY (%)		
	Speed Symbol		
	H	V	W
130 (210)	100	100	100
137 (220)	–	95	100
143 (230)	–	90	100
149 (240)	–	85	100
155 (250)	–	–	95
161 (260)	–	–	85
168 (270)	–	–	75

Inflation Pressures

Basic pressures are quoted in Table 4 but, subject to agreement between the tyre and vehicle manufacturers, the pressures used in practice may be different. They shall take into account not only the load, but also the tyre construction, road holding, maximum speed, the orientation of the tyre, the operating conditions and the mechanical characteristics of the vehicle. In particular for higher speeds, increases in pressure are essential for safety reasons.

These increases are determined by agreement with the tyre manufacturer. In the absence of any such agreement, for speeds above 93 mph (150 km/h) the basic inflation pressure (bar) versus speed at the maximum load of the tyre, to be used for standard load tyres, is given in Table 4. The actual pressure is to be adjusted for the design maximum load acting on the wheel.

Table 4 Basic Inflation Pressure (bar) versus Speed at the maximum Load of the tyre

Speed Capability of the vehicle mph (km/h)	Speed Symbol								
	Q	R	S	T	U	H	V	W	Y
<99 (<160)	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
106 (170)		2.6	2.6	2.6	2.6	2.6	2.6	2.5	2.5
112 (180)			2.6	2.6	2.6	2.6	2.6	2.5	2.5
118 (190)				2.7	2.7	2.7	2.7	2.5	2.5
124 (200)					2.7	2.7	2.7	2.6	2.5
130 (210)						2.8	2.8	2.7	2.5
137 (220)							2.8	2.8	2.5
143 (230)							2.8	2.9	2.6
149 (240)							2.8	3.0	2.7
155 (250)								3.0	2.8
161 (260)								3.0	2.9
168 (270)								3.0	3.0
174 (280)									3.0
180 (290)									3.0
186 (300)									3.0

1.0 bar = 100kPa

Basic inflation pressure (bar) versus speed at the maximum load of the tyre, to be used for standard tyres in the absence of agreement with the manufacturer (1) (2)

- For intermediate maximum speeds, linear interpolation is permitted.
- Rounding of the inflation pressure figures is performed to the nearest 0.1 bar. (In the case of Extra Load or Reinforced tyres, the figures in the above are increased by 0.4 bar).

Metric 90%	Metric 80%	Imperial	Imperial 90%
60/90	70/80	2.25	
70/90	80/80	2.50	
80/90	90/80	2.75/3.00	3.10
90/90	100/80	3.00/3.25	3.60
100/90	110/80	3.50	4.10
110/90	120/80	3.75/4.00	4.25/85
120/90	130/80	4.00/4.25	4.60
130/90	140/80 / 150/80	4.50/5.00	5.10
140/90	160/80	5.00	
150/90	170/80		

Care must be taken when fitting tyre sizes that are different to OE that the wheel rim is wide enough and that there is enough clearance for the tyre.

Alpha numeric/metric size conversion		Rim width equivalents	
Alpha numeric	Metric	WM	Inch
MH90	80/90	WM0	1.40
MJ90	90/90	WM1	1.60
MM90	100/90	WM2	1.85
MN90	110/90	WM3	2.15
MP85	110/90	WM4	2.50
MR90	120/90	WM5	3.00
MT90	130/90		
MU85/MU90	140/90		
MV85	150/80 / 150/90		

Tyre Safety Maintenance

SAFETY WARNING: disregarding any of the safety precautions and instructions contained in this book may result in tyre failure or explosion causing serious personal injury or death.

How to get the best results from your tyres

SELECT THE CORRECT TYPE OF TYRE FOR YOUR MACHINE

Use combined information from owners handbook and tyre manufacturers fitment guide, to fit the correct tyres which meet with the motorcycles requirements.

PRESSURES ARE VITALLY IMPORTANT

Warning! Driving on any tyre that does not have the correct inflation pressure is dangerous. Keep your tyres inflated to the correct pressure for load and speed as shown in your motorcycle manufacturer's handbook. Any underinflated tyre builds up excessive heat that may result in sudden tyre destruction. The correct inflation pressures for your tyres must be maintained as a minimum.

PRESSURE TESTING

Test pressures at least once a week with an accurate tyre pressure gauge when tyres are cold and always before long journeys. Do not ‘bleed’ air off when tyres are hot as pressures rise due to heat but fall again when the tyres cool.

VALVE CORES AND CAPS

Loss of pressure may sometimes be due to valve cores not seating properly or being worn. Check valve cores, tighten for correct seating or replace as necessary. Always fit valve caps (finger tight) as they keep dust from the valve mechanism and act as an extra seal.

TUBELESS TYRES

Valves should be kept in good condition and replaced when a new tyre is fitted.

WIRE WHEELS

Ensure that proprietary rim tapes are in good condition; a protruding spoke head can damage a tube and cause a puncture.

ALIGNMENT

Ensure wheels are correctly aligned and inspect regularly. Be aware of your tyres through frequent visual examination and before any long journey. Worn tyres are more susceptible to damage and road holding is reduced in the wet. To maintain full stability on high performance machines it is advisable to change the tyres before the legal 1mm (¹/₃₂”) remaining pattern depth is reached.

DAMAGED TYRES

Damage which exposes the casing is dangerous and contravenes tyre legislation. Replace damaged tyres immediately.

STONES

Remove any stones or nails which may become embedded in the treads of tyres. If left they will eventually penetrate through the casing and cause a puncture, leading to breakdown on the road or even an accident.

OIL AND GREASE

Rubber deteriorates when in contact with oil and grease. Remove from tyres using a cloth slightly dampened with petrol.

CARE OF TUBES

Repairs to tubes should ideally be carried out by an expert and should be vulcanised – hot or cold process. It is recommended that a new tube should be fitted with a new tyre. Tubes which have given long service become stretched and when fitted with new tyres may fail prematurely because of creasing or thinning of the tube rubber. Tubes with several repairs should be discarded.

REPAIRS TO TUBELESS TYRES

The main advantage of a tubeless tyre is its ability to withstand penetration by nails etc without a rapid loss of air. This also means that a rider can be unaware of a puncture and if the tyre continues to be used for long distances, the area of damage will spread and could become serious. Tyres must therefore be inspected regularly for nails etc, and repairs carried out as quickly as possible.

In instances where deflation has occurred, such as a nail penetration, it is essential to remove the tyre from the rim for a full external and internal examination before attempting any form of temporary or permanent repair.

Providing there is not other damage to the tread or casing Cooper-Avon recommends that only certain types of repairs should be carried out and these only in the crown area of the tyre. Plug repairs to punctures in the shoulder or sidewall area of the tyre are not recommended.

It is essential to follow the material manufacturer’s instructions. Repair by buffing the tubeless lining and applying a cold cure, or vulcanised repair, of minimum 25mm (1”) diameter to seal a penetration of not more than 3mm (¹/₈”) diameter. The external hole should be sealed with rubber sealant to prevent the ingress of moisture which could affect the casing cords.

NB. Straight plug type repairs must not be attempted as there may be insufficient tread rubber and casing material to provide sufficient security for the plug location.

In the event of an emergency ‘get-you-home’ repair, it is permissible to use an inner tube of the correct size and type but the Motorcycle Manufacturers’ Instruction Manual should be consulted. In some instances, an adaptor collar may be required if car-type rubber tubeless valves of greater diameter than the standard metal type have been used originally.

If tyre foam filler repairs are used as an emergency measure the tyre will have to be replaced when you return home. The chemicals in these products decompose the rubber linings of tyres.

For repairs other than those already described, a tyre fitter, working to the BS159F repair condition standard and expert in permanent repairs, should be consulted. If any major reinforcement is required to repair the damage the tyre must not be used, particularly on a high performance machine, because of possible problems with impaired vehicle stability and imbalance at speed.

These recommendations may appear to be over-cautious, but riders who have experienced sudden tyre deflation will appreciate how dangerous this can be.

BALANCE

Avon tyres are made to fine tolerances but it is essential that the tyre/wheel assemblies should be balanced – particularly if high speed runs are contemplated. The wheels themselves should run true to within 1mm (¹/₃₂”) and be free from distortion. Tubeless tyres and wheel assemblies can be balanced by using self-adhesive or clip-on weights. Spoked wheels should be balanced by using spoke weights, or by wrapping the outer end of the spoke adjacent to the light spot with lead wire until the wheel, freely rotating on its bearing, shows no tendency from one particular section (a heavy spot) to swing to the bottom-most point. If using lead wire, bind the lower end with the adhesive tape to prevent moving. Fine balance is more important on front than rear wheels.

ON THE ROAD

Drive reasonably. Excessive acceleration and braking shortens tyre life considerably. Some uneven wear on front tyres is inevitable due to the effect of braking and cornering, particularly if the machine is used to its full capacity.

Important Fitment Advice

It is essential that you refer to your motorcycle manufacturer's handbook when buying and fitting replacement tyres. Changes in tyre size, type and construction should not be made without first seeking advice from the motorcycle or tyre manufacturer, since fitting the wrong tyre may have an adverse effect on handling, safety and wear.

Avon motorcycle tyres are only for use on vehicles for which motorcycle tyres were originally specified by the vehicle manufacturer, any other use may be dangerous.

Motorcycle tyres which have been subject to use on rolling roads (Dynos) must no longer be used for subsequent, normal service. All tests on rolling roads (Dynos) must be carried out with test tyres, special tyres reserved for maintenance purposes, or tyres which are worn out or downgraded.

For fitment information, please see Avon Tyres' Motorcycle Application Guide or consult Cooper Tire, Motorcycle Technical Product Dept. For any non-listed fitments, contact Cooper Tire via the website, Motorcycle Helpline Tel: 0870 9029276. Fax: (01225) 791301.

All speed stated in this list are subject to observance of the appropriate national speed limits.

WARNING

Before fitting an Avon motorcycle tyre, refer to our Motorcycle Data & Fitment Guide – it contains important information concerning safety.

TYRE NOTATIONS AND MARKINGS

Tyre notations in this publication fall into three distinct categories according to their construction type.

CROSSPLY TYRES

Crossply tyres are denoted by the inclusion of a dash within the notation. E.G. 230/60-15 86H

BIAS BELTED TYRES

Bias Belted tyres are denoted by the inclusion of a letter 'B' within the notation. E.G. 140/90B16 77H

RADIAL TYRES

Radial tyres are denoted by the inclusion of a letter 'R' within the notation. E.G. 120/70R17 (73W)

In all cases, the speed rating is incorporated within the speed and load index following the notation.

NOTE: The introduction of European Regulations ECE R75 has resulted in a more precise expression of speed indices. For example, almost all 'Z-rated' tyres now carry a 'W' within the load speed marking. Whereas the 'Z' indicates a tyre's capacity to run over 149mph (240kph), the letter 'W' indicates that it is capable of running at 168mph (270kph) or higher if the speed and load index is enclosed within brackets.

Actual tyre sidewall markings will continue to include the speed symbol within the notation.

FITMENT TABLE	
REAR	FRONT
RADIAL	RADIAL / CROSS PLY / BIAS BELTED
BIAS BELTED	CROSS PLY / BIAS BELTED
CROSS PLY	CROSS PLY

MOTORCYCLE TYRES

When new motorcycle tyres are fitted, they should not be subject to maximum power until a reasonable 'running in' distance has been covered. 100 dry miles (160km) is the recommended minimum (discount any wet miles covered). Tyres should then be visually examined and their inflation pressures checked before riding.

AVON MOTORCYCLE TYRES STANDARD LIMITED WARRANTY

Every first quality tyre bearing our name and serial number and not branded "NA", or "DA" for BLEM [i]tyres, and not used for racing, is warranted to be free of defects in workmanship and material during the life of the original tread design. Original tread life is completed when the tyre is worn to 2 remaining 32nds (1.5mm). Avon Motorcycle Tyres recommend tyres should be used within 5 years of the manufacturing date on the tyre. Tyre should then be removed after a total of 7 years from the manufacturing date. Tyres beyond this date will not be warrantied.

If, upon presentation of a tyre, our examination shows a tyre is eligible for adjustment credit under the terms of the warranty, we will make a reasonable allowance on the purchase of a new tyre based on the current "Suggested Retail Price". Any such allowance will be based on the tread wear remaining as set forth in the adjustment policy available from the company.

This warranty is made for the exclusive benefit of the original owner actually using these products, is not assignable, and no claim will be recognized unless submitted on our standard claim form duly filled out and signed by the owner, dealer, or distributor.

This warranty does not in any way extend to any consequential damages or losses.

There is no other warranty, or liability, expressed or implied, applicable to these products. No representative has the authority to make any representation, promise, or agreement except as stated herein.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

TYRE ADJUSTMENT POLICY

Any Avon Motorcycle Tyre that does not deliver satisfactory service due to a balance, out of round or a ride complaint problem will be replaced without charge within the first 2/32nds (1.5mm) of the tyre's tread life. After 2/32nds (1.5mm) of wear, tyres with the aforementioned conditions are not warrantable.

Any Avon Motorcycle Tyre that becomes unserviceable as a result of an eligible adjustable condition during the first 50% of tread wear will be replaced FREE OF CHARGE. A tyre worn beyond 50% of tread wear that exhibits an eligible adjustable condition will be replaced on a pro-rated basis only.

No adjustments will be made in cases of abuse by user, such as, but not limited to:

- Road hazard*
- Cut by vehicle
- Trued tires
- Nail holes, cuts, punctures*
- Under or over inflation
- Run flat
- Wheel alignment


*Some exceptions may apply. See Road Hazard Policy for further details.

TYRES: RADIAL VERSUS BIAS

While running a bias ply front tyre and a radial rear tyre can be acceptable in certain applications, you should never run radial front and bias rear as this can create an instability issue.

Avon Motorcycle Tyres is not responsible for abnormal wear due to suspension modifications and/or improper maintenance.

Tyre Markings




Tyre Repair Precautions

Table 1: Motorcycle & scooter tyre damage limits (after preparation)

SPEED SYMBOL	Up to J	Above J and up to and including V	Above V
Max size of damage (diameter)	1/4" (6mm)	1/8" (3mm)	No repairs shall be permitted
Max. number of repairs	2	1	

Repairable & non-repairable areas for motorcycle & scooter tyres





Cooper Tire & Rubber Company Europe Ltd

www.avontyres.com

Tel: +44 (0) 1225 703 101



Cooper Tire & Rubber Company Deutschland GmbH

www.avonreifen.com

Tel: + 49 (0) 6103 96 07 6-0



Cooper Tire & Rubber Company España SL

www.avontyres.es

Tel: +34 (0) 917 462 300



Cooper Tire & Rubber Company Suisse SA

www.avontyres.ch

Tel: +41 (0) 44 852 80 00



Avon Motorcycle Tyres North America

www.avontyres.com



www.facebook.com/AvonTyresOfficial



Avon Tyres